

DK POMPA



SUBMERSIBLE

PUMPS & MOTORS

LABOR GROWTH



INNOVATION TECHNOLOGY

TABLE OF CONTENTS

<i>DK 4" Series</i>	2
<i>DK 5" Series</i>	5
<i>DK 6" Series</i>	10
<i>DK 7" Series</i>	20
<i>DK 8" Series</i>	23
<i>DK 10" Series</i>	28
<i>Submersible Motors</i>	30
<i>Technical Support Tables</i>	35
<i>Quality Certificates</i>	40

DK POMPA



4" PUMPS



DK-4002-4015 50 HZ 380/415V

Pumps Type	Power		Flow									Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	5	8,0	10,0	12,0	14,0	16,0	18,0				
			lt/sn	0,00	1,39	2,22	2,78	3,33	3,89	4,44	5,00				
DK 4012 / 04	0,75	1	Head mSS	28	23	20	18	16	14	11	8	5	48	2"	\$148
DK 4012 / 06	1,1	1,5		41	35	31	28	25	21	17	13	6	62		\$183
DK 4012 / 08	1,5	2		55	46	41	37	33	28	22	17	8	77		\$217
DK 4012 / 12	2,2	3		83	70	61	55	49	42	34	25	11	105		\$285
DK 4012 / 16	3	4		110	93	82	74	66	56	45	34	14	133		\$353
DK 4012 / 19	4	5,5		131	111	97	88	78	67	54	40	17	155		\$404
DK 4012 / 22	4	5,5		152	128	112	101	90	77	62	46	19	176		\$456
DK 4012 / 26	5,5	7,5		180	151	133	120	107	91	73	55	22	204		\$524
DK 4012 / 30	5,5	7,5		207	174	153	138	123	105	84	63	25	233		\$592
DK 4012 / 35	7,5	10		242	203	179	161	144	123	98	74	30	268		\$677
DK 4012 / 40	7,5	10		276	232	204	184	164	140	112	84	33	304		\$763

Pumps Type	Power		Flow									Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	6	9,0	11,0	13,0	15,0	18,0	20,0				
			lt/sn	0,00	1,67	2,50	3,06	3,61	4,17	5,0	5,56				
DK 4015 / 03	0,75	1	Head mSS	20	17	15	14	12	11	8	6	5	41	2"	\$131
DK 4015 / 05	1,1	1,5		34	28	24	23	20	18	14	10	6	55		\$166
DK 4015 / 06	1,5	2		41	34	29	27	24	22	16	12	7	62		\$183
DK 4015 / 10	2,2	3		68	56	49	45	40	36	27	20	10	91		\$251
DK 4015 / 13	3	4		88	73	64	59	52	47	35	26	12	112		\$302
DK 4015 / 15	4	5,5		102	84	74	68	60	54	41	30	13	126		\$336
DK 4015 / 18	4	5,5		122	101	88	81	72	65	49	36	16	148		\$387
DK 4015 / 22	5,5	7,5		149	123	108	99	88	79	60	44	19	176		\$456
DK 4015 / 25	5,5	7,5		170	140	123	113	100	90	68	50	21	197		\$507
DK 4015 / 27	7,5	10		189	156	137	126	111	100	75	56	23	211		\$541
DK 4015 / 30	7,5	10		204	168	147	135	120	108	81	60	25	233		\$592



*Package, interconnection and outer sheath do not include weight-height measurements.
 *DK PUMP reserves the the right to make changes without prior notice
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors



DKMY 4

50 HZ

4" ITAL ENGINE

220 V	Type		Length (mm)	Weight (kg)		Pumps Price (\$)
	KW	HP				
	DKM 4	0,55	0,75	389	9,2	\$151
	DKM 4	0,75	1	411	10,3	\$164
	DKM 4	1,1	1,5	434	11,4	\$183
	DKM 4	1,5	2	467	12,8	\$194
	DKM 4	2,2	3	565	17,4	\$232

380 V	DKM 4	0,75	1	384	8,8	\$151
	DKM 4	1,1	1,5	411	10,1	\$164
	DKM 4	1,5	2	428	10,8	\$189
	DKM 4	2,2	3	467	12,5	\$205
	DKM 4	3	4	522	15,0	\$277
	DKM 4	4	5,5	587	18,3	\$318
	DKM 4	5,5	7,5	687	22,5	\$458
	DKM 4	7,5	10	768	28,3	\$552

THE CHEAPEST ENERGY IS SAVED ENERGY...



- * Package, interconnection and outer sheath do not include weight-height measurements.
- * DK PUMP reserves the the right to make changes without prior notice
- * Prices do not include VAT and shipping.
- * Our company is not responsible for printing errors.

DK POMPA



5" PUMPS



DK-5016 50 HZ 380 /415V Maximum diameter with 4" engine 121 mm
Maximum diameter with 5" engine 125 mm
Maximum diameter with 6" engine 141 mm

Pumps Type	Power		m ² /h l/s	Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp		0,0	8,0	12,0	14,0	16,0	18,0	20,0	24,0				
				0,00	2,22	3,33	3,89	4,44	5,00	5,56	6,66				
DK 5016 / 01	0,55	0,75	10	9	9	8	7	6	6	3	5	30	\$214		
DK 5016 / 02	1,1	1,5	20	19	17	16	14	13	11	6	6	36	\$249		
DK 5016 / 03	1,5	2	30	28	26	24	21	19	17	9	8	42	\$284		
DK 5016 / 04	1,5	2	40	37	34	32	29	26	22	13	9	48	\$319		
DK 5016 / 05	2,2	3	50	47	43	40	36	32	28	16	10	54	\$353		
DK 5016 / 06	2,2	3	60	56	51	48	43	39	33	19	11	61	\$388		
DK 5016 / 07	3	4	70	65	60	56	50	45	39	22	12	67	\$423		
DK 5016 / 08	3	4	80	74	68	64	57	52	44	25	14	73	\$458		
DK 5016 / 09	4	5,5	90	84	77	72	64	58	50	28	15	79	\$493		
DK 5016 / 10	5,5	7,5	101	93	86	81	71	65	56	32	16	85	\$528		
DK 5016 / 11	5,5	7,5	111	102	94	89	79	71	61	35	17	91	\$563		
DK 5016 / 12	5,5	7,5	121	112	103	97	86	77	67	38	18	97	\$598		
DK 5016 / 13	7,5	10	131	121	111	105	93	84	72	41	20	103	\$633		
DK 5016 / 14	7,5	10	141	130	120	113	100	90	78	44	21	109	\$668		
DK 5016 / 15	7,5	10	151	140	128	121	107	97	83	47	22	115	\$703		
DK 5016 / 16	7,5	10	161	149	137	129	114	103	89	50	23	122	\$738		
DK 5016 / 17	7,5	10	171	158	145	137	122	110	94	54	24	128	\$773		
DK 5016 / 18	9,2	12,5	181	167	154	145	129	116	100	57	26	134	\$807		
DK 5016 / 19	9,2	12,5	191	177	162	153	136	123	105	60	27	140	\$842		
DK 5016 / 20	9,2	12,5	201	186	171	161	143	129	111	63	28	146	\$877		
DK 5016 / 21	9,2	12,5	211	195	180	169	150	135	117	66	29	152	\$912		
DK 5016 / 22	11	15	221	205	188	177	157	142	122	69	30	158	\$947		
DK 5016 / 23	11	15	221	214	197	185	164	148	128	72	32	164	\$982		
DK 5016 / 24	11	15	241	223	205	193	172	155	133	76	33	170	\$1.017		
DK 5016 / 25	13	17,5	251	233	214	201	179	161	139	79	34	176	\$1.052		
DK 5016 / 26	13	17,5	261	242	222	209	186	168	144	82	35	183	\$1.087		
DK 5016 / 27	13	17,5	271	251	231	217	193	174	150	85	36	189	\$1.122		
DK 5016 / 28	13	17,5	281	260	239	225	200	181	155	88	38	195	\$1.157		
DK 5016 / 29	13	17,5	291	270	248	233	207	187	161	91	39	201	\$1.192		
DK 5016 / 30	15	20	302	279	257	242	215	194	167	95	40	207	\$1.226		
DK 5016 / 31	15	20	312	288	265	250	222	200	172	98	41	213	\$1.261		
DK 5016 / 32	15	20	322	298	274	258	229	206	178	101	42	219	\$1.296		
DK 5016 / 33	15	20	332	307	282	266	236	213	183	104	44	225	\$1.331		
DK 5016 / 34	18,5	25	342	316	291	274	243	219	189	107	45	231	\$1.366		
DK 5016 / 35	18,5	25	352	326	299	282	250	226	194	110	46	237	\$1.401		
DK 5016 / 36	18,5	25	362	335	308	290	257	232	200	113	47	244	\$1.436		
DK 5016 / 37	18,5	25	372	344	316	298	265	239	205	117	48	250	\$1.471		
DK 5016 / 38	22	30	382	353	325	306	272	245	211	120	50	256	\$1.506		
DK 5016 / 39	22	30	392	363	333	314	279	252	216	123	51	262	\$1.541		
DK 5016 / 40	22	30	402	372	342	322	286	258	222	126	52	268	\$1.576		
DK 5016 / 41	22	30	412	381	351	330	293	264	228	129	53	274	\$1.611		
DK 5016 / 42	22	30	422	391	359	338	300	271	233	132	54	280	\$1.646		
DK 5016 / 43	22	30	432	400	368	346	307	277	239	135	56	286	\$1.680		

Head mSS

2 1/2"

* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the the right to make changes without prior notice
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-5020

50 HZ 380 /415V

Maximum diameter with 4th engine 121 mm
 Maximum diameter with 5th engine 125 mm
 Maximum diameter with 6th engine 141 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m ³ /h	0,0	14,0	16,0	18,0	20,0	22,0	24,0					26,0
			l/s	0,00	3,89	4,44	5,00	5,56	6,11	6,67					7,22
DK 5020 / 01	0,75	1	Head mSS	9	8	7	7	6	6	6	5	6	33	2 1/2"	\$224
DK 5020 / 02	1,5	2		19	14	12	10	9	8	7	6	8	42		\$264
DK 5020 / 03	2,2	3		30	22	20	18	15	13	11	9	10	51		\$304
DK 5020 / 04	3	4		41	31	30	28	26	22	16	14	13	60		\$344
DK 5020 / 05	4	5,5		52	40	39	37	34	30	24	20	15	69		\$385
DK 5020 / 06	4	5,5		63	49	47	45	41	37	31	26	17	79		\$425
DK 5020 / 07	5,5	7,5		74	58	54	52	47	43	37	31	20	88		\$465
DK 5020 / 08	5,5	7,5		85	67	63	59	55	49	42	35	22	97		\$505
DK 5020 / 09	7,5	10		96	75	71	67	62	55	48	39	24	106		\$545
DK 5020 / 10	7,5	10		105	84	79	75	69	62	54	44	27	115		\$585
DK 5020 / 11	7,5	10		116	92	88	82	76	68	60	49	29	124		\$625
DK 5020 / 12	9,2	12,5		127	101	96	89	83	74	65	53	31	133		\$665
DK 5020 / 13	9,2	12,5		137	109	103	97	90	81	70	57	33	142		\$705
DK 5020 / 14	9,2	12,5		148	117	110	104	97	87	76	61	36	151		\$745
DK 5020 / 15	11	15		157	126	118	111	104	93	81	66	38	160		\$785
DK 5020 / 16	11	15		168	134	126	118	111	99	86	70	40	170		\$825
DK 5020 / 17	11	15		177	143	134	126	118	105	91	75	43	179		\$865
DK 5020 / 18	13	17,5		188	151	142	133	124	111	97	79	45	188		\$906
DK 5020 / 19	13	17,5		198	159	150	141	131	117	102	83	47	197		\$946
DK 5020 / 20	13	17,5		210	167	158	149	138	124	107	88	50	206		\$986
DK 5020 / 21	15	20		221	175	166	157	145	130	112	92	52	215		\$1.026
DK 5020 / 22	15	20		232	183	175	164	152	137	118	97	54	224		\$1.066
DK 5020 / 23	18,5	25		242	192	182	171	159	143	123	101	56	233		\$1.106
DK 5020 / 24	18,5	25		253	201	190	178	166	149	128	105	59	242		\$1.146
DK 5020 / 25	18,5	25		263	209	197	186	173	156	134	109	61	251		\$1.186
DK 5020 / 26	22	30		274	217	205	194	180	161	139	114	71	261		\$1.226
DK 5020 / 27	22	30		284	226	213	202	186	167	145	119	74	270		\$1.266
DK 5020 / 28	22	30		295	234	221	209	193	174	150	123	76	279		\$1.306
DK 5020 / 29	22	30		229	242	229	216	200	180	156	127	78	288		\$1.346
DK 5020 / 30	26	35		316	251	237	224	207	185	161	132	81	297		\$1.386



- * Package, interconnection and outer sheath do not include weight-height measurements.
- * DK PUMP reserves the the right to make changes without prior notice
- * Prices do not include VAT and shipping.
- * Our company is not responsible for printing errors.



DK-5030

50 HZ 380 /415V

Maximum diameter with 4th engine 121 mm
 Maximum diameter with 5th engine 125 mm
 Maximum diameter with 6th engine 141 mm

Pumps Type	Power		Flow							Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m ³ /h	0,0	16,0	20,0	26,0	30,0	34,0					36,0
			l/s	0,00	3,89	5,56	7,22	8,33	9,44					10,00
DK 5030 / 01	1,1	1,5	12	11	10	8	6	5	4	6	33	2 1/2"	\$224	
DK 5030 / 02	2,2	3	24	21	20	17	13	10	8	8	42		\$264	
DK 5030 / 03	2,2	3	37	32	30	26	20	15	13	10	51		\$304	
DK 5030 / 04	3	4	49	42	40	35	27	20	17	13	60		\$344	
DK 5030 / 05	4	5,5	62	53	50	44	34	25	22	15	69		\$385	
DK 5030 / 06	5,5	7,5	74	63	60	53	41	30	26	17	79		\$425	
DK 5030 / 07	5,5	7,5	87	74	70	62	48	35	31	20	88		\$465	
DK 5030 / 08	7,5	10	99	84	80	71	55	40	35	22	97		\$505	
DK 5030 / 09	7,5	10	112	95	90	80	62	45	40	24	106		\$545	
DK 5030 / 10	9,2	12,5	124	105	100	89	69	50	44	27	115		\$585	
DK 5030 / 11	9,2	12,5	137	116	110	98	76	55	49	29	124		\$625	
DK 5030 / 12	11	15	149	126	120	107	83	60	53	31	133		\$665	
DK 5030 / 13	11	15	162	137	130	116	90	65	58	33	142		\$705	
DK 5030 / 14	11	15	174	147	140	125	97	70	62	36	151		\$745	
DK 5030 / 15	13	17,5	187	158	150	134	104	75	67	38	160		\$785	
DK 5030 / 16	13	17,5	199	168	160	143	111	80	71	40	170		\$825	
DK 5030 / 17	15	20	212	179	170	152	118	85	76	43	179		\$865	
DK 5030 / 18	15	20	224	189	180	161	125	90	80	45	188		\$906	
DK 5030 / 19	18,5	25	237	200	190	170	132	95	85	47	197		\$946	
DK 5030 / 20	18,5	25	249	210	200	179	139	100	89	50	206		\$986	
DK 5030 / 21	18,5	25	262	221	210	188	146	105	94	52	215		\$1.026	
DK 5030 / 22	22	30	274	231	220	197	153	110	98	54	224		\$1.066	
DK 5030 / 23	22	30	287	242	230	206	160	115	103	56	233		\$1.106	
DK 5030 / 24	26	35	299	252	240	215	167	120	107	59	242		\$1.146	



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the the right to make changes without prior notice
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-5042

50 HZ 380 /415V

Maximum diameter with 4" engine 121 mm
 Maximum diameter with 5" engine 125 mm
 Maximum diameter with 6" engine 141 mm

Pumps Type	Power		Flow							Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m³/h	0,0	30,0	34,0	38,0	42,0	45,0					50,0
			l/s	0,00	8,33	9,44	10,56	11,67	12,50					13,89
DK 5042 / 01	1,1	1,5	Head mSS	18	12	12	10	10	9	3	6	33	2 1/2"	\$232
DK 5042 / 02	2,2	3		28	20	18	16	14	12	6	8	42		\$284
DK 5042 / 03	4	5,5		38	30	24	22	18	15	8	10	51		\$336
DK 5042 / 04	4	5,5		48	39	31	28	22	18	11	13	60		\$387
DK 5042 / 05	5,5	7,5		57	49	37	34	27	21	14	15	69		\$439
DK 5042 / 06	7,5	10		67	58	44	40	31	24	16	17	79		\$491
DK 5042 / 07	7,5	10		77	68	50	46	35	27	19	20	88		\$543
DK 5042 / 08	9,2	12,5		87	78	56	52	39	30	22	22	97		\$595
DK 5042 / 09	11	15		97	87	63	58	43	33	24	24	106		\$647
DK 5042 / 10	11	15		106	97	69	64	48	36	27	27	115		\$699
DK 5042 / 11	13	17,5		116	106	76	70	52	39	30	29	124		\$751
DK 5042 / 12	13	17,5		126	116	82	76	56	42	33	31	133		\$803
DK 5042 / 13	15	20		136	126	88	82	60	45	35	33	142		\$855
DK 5042 / 14	15	20		146	135	95	88	64	48	38	36	151		\$907
DK 5042 / 15	18,5	25		155	145	101	94	69	51	41	38	160		\$959
DK 5042 / 16	18,5	25		165	154	108	100	73	54	43	40	170		\$1.010
DK 5042 / 17	18,5	25		175	164	114	106	77	57	46	43	179		\$1.062
DK 5042 / 18	18,5	25		185	174	120	112	81	60	49	45	188		\$1.114
DK 5042 / 19	22	30		195	183	172	118	85	63	51	47	197		\$1.166
DK 5042 / 20	22	30		204	193	133	124	90	66	54	50	206		\$1.218
DK 5042 / 21	22	30		214	202	140	130	94	69	57	52	215		\$1.270



- * Package, interconnection and outer sheath do not include weight-height measurements.
- * DK PUMP reserves the the right to make changes without prior notice
- * Prices do not include VAT and shipping.
- * Our company is not responsible for printing errors.





6" PUMPS

DK-6006

50 HZ 380 /415V

Maximum diameter with 4" engine 131 mm
 Maximum diameter with 5" engine 131 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm

Pumps Type	Power		Flow						Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m ³ /h	0,0	3,0	6,0	9,0	12,0				
			l/s	0,00	0,83	1,67	2,50	3,33				
DK 6006 / 01	0,55	0,75	9	8	7	5	3	5	29		\$213	
DK 6006 / 02	0,75	1	17	16	14	10	6	6	34		\$250	
DK 6006 / 03	0,75	1	26	24	21	16	9	8	39		\$288	
DK 6006 / 04	1,1	1,5	35	32	28	21	12	9	44		\$325	
DK 6006 / 05	1,5	2	44	39	35	26	15	10	49		\$362	
DK 6006 / 06	2,2	3	52	47	43	31	18	11	54		\$400	
DK 6006 / 07	2,2	3	61	55	50	36	21	12	60		\$437	
DK 6006 / 08	2,2	3	70	63	57	41	23	14	65		\$475	
DK 6006 / 09	3	4	79	71	64	47	26	15	70		\$512	
DK 6006 / 10	3	4	87	79	71	52	29	16	75		\$550	
DK 6006 / 11	3	4	96	87	78	57	21	17	80		\$587	
DK 6006 / 12	4	5,5	105	94	85	62	35	18	85		\$624	
DK 6006 / 13	4	5,5	113	102	92	67	38	20	90		\$662	
DK 6006 / 14	4	5,5	122	110	99	73	41	21	95		\$699	
DK 6006 / 15	4	5,5	131	118	106	78	44	22	100		\$737	
DK 6006 / 16	5,5	7,5	140	126	113	83	47	23	106		\$774	
DK 6006 / 17	5,5	7,5	148	134	121	88	50	24	111		\$812	
DK 6006 / 18	5,5	7,5	157	142	128	93	52	26	116		\$849	
DK 6006 / 19	5,5	7,5	166	149	135	98	55	27	121		\$886	
DK 6006 / 20	5,5	7,5	175	157	142	104	58	28	126		\$924	
DK 6006 / 21	5,5	7,5	183	165	149	109	61	29	131		\$965	
DK 6006 / 22	7,5	10	192	173	156	114	64	30	136		\$1.006	
DK 6006 / 23	7,5	10	201	181	163	119	67	32	141		\$1.047	
DK 6006 / 24	7,5	10	209	189	170	124	70	33	146		\$1.088	
DK 6006 / 25	7,5	10	218	197	177	130	73	34	151		\$1.129	
DK 6006 / 26	7,5	10	227	204	184	135	76	35	157		\$1.170	
DK 6006 / 27	7,5	10	236	212	191	140	79	36	162		\$1.211	
DK 6006 / 28	7,5	10	244	220	199	145	81	38	167		\$1.252	
DK 6006 / 29	9,2	12,5	253	228	206	150	84	39	172		\$1.293	
DK 6006 / 30	9,2	12,5	262	236	213	155	87	40	177		\$1.334	
DK 6006 / 31	9,2	12,5	271	244	220	161	90	41	182		\$1.379	
DK 6006 / 32	9,2	12,5	279	252	227	166	93	42	187		\$1.424	
DK 6006 / 33	9,2	12,5	288	259	234	171	96	44	192		\$1.468	
DK 6006 / 34	9,2	12,5	297	267	241	176	99	45	197		\$1.513	
DK 6006 / 35	9,2	12,5	305	275	248	181	102	46	202		\$1.558	
DK 6006 / 36	11	15	314	283	255	187	105	47	208		\$1.602	
DK 6006 / 37	11	15	323	291	262	192	108	48	213		\$1.647	
DK 6006 / 38	11	15	332	299	269	197	110	50	218		\$1.692	
DK 6006 / 39	11	15	340	307	277	202	113	51	223		\$1.737	
DK 6006 / 40	11	15	349	314	284	207	116	52	228		\$1.781	
DK 6006 / 41	11	15	358	322	291	212	119	53	233		\$1.830	
DK 6006 / 42	13	17,5	367	330	298	218	122	54	238		\$1.878	
DK 6006 / 43	13	17,5	375	338	305	223	125	56	243		\$1.926	
DK 6006 / 44	13	17,5	384	346	312	228	128	57	248		\$1.974	
DK 6006 / 45	13	17,5	393	354	319	233	131	58	253		\$2.023	
DK 6006 / 46	13	17,5	402	362	326	238	134	59	259		\$2.071	
DK 6006 / 47	13	17,5	410	370	333	244	137	60	264		\$2.119	
DK 6006 / 48	13	17,5	419	377	340	249	139	62	269		\$2.168	
DK 6006 / 49	15	20	428	385	347	254	142	63	274		\$2.216	
DK 6006 / 50	15	20	436	393	355	259	145	64	279		\$2.264	
DK 6006 / 51	15	20	445	401	362	264	148	65	284		\$2.316	
DK 6006 / 52	15	20	454	409	369	269	151	66	289		\$2.368	
DK 6006 / 53	15	20	463	417	376	275	154	67	294		\$2.420	
DK 6006 / 54	15	20	471	425	383	280	157	69	299		\$2.472	
DK 6006 / 55	15	20	480	432	390	285	160	70	304		\$2.524	
DK 6006 / 56	15	20	489	440	397	290	163	71	310		\$2.576	
DK 6006 / 57	18,5	25	498	448	404	295	166	72	315		\$2.628	
DK 6006 / 58	18,5	25	506	456	411	300	168	73	320		\$2.680	
DK 6006 / 59	18,5	25	515	464	418	306	171	75	325		\$2.732	
DK 6006 / 60	18,5	25	524	472	425	311	174	76	330		\$2.784	

It is recommended to use intermediate bed or jacket

Head mSS

2 1/2"



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6016 50 HZ 380 /415V

Maximum diameter with 4" engine 131 mm
 Maximum diameter with 5" engine 131 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm

Pumps Type	Power		m³/h	Flow										Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp		0,0	2,78	3,33	3,89	4,17	4,44	4,72	5,00	5,56					
DK 6016 / 01	0,55	0,75	11	10	9	8	8	7	7	6	5	5	30		\$214		
DK 6016 / 02	1,1	1,5	23	20	19	16	15	14	14	13	11	6	36		\$252		
DK 6016 / 03	1,5	2	34	31	29	25	23	22	21	20	16	8	42		\$291		
DK 6016 / 04	2,2	3	45	41	39	33	30	29	28	27	21	9	48		\$329		
DK 6016 / 05	2,2	3	56	52	49	41	38	36	35	33	27	10	54		\$368		
DK 6016 / 06	3	4	68	63	60	49	46	43	42	40	32	11	61		\$407		
DK 6016 / 07	4	5,5	79	73	69	57	53	50	49	47	37	12	67		\$445		
DK 6016 / 08	4	5,5	90	84	80	66	61	58	56	54	43	13	74		\$484		
DK 6016 / 09	4	5,5	102	94	90	74	68	65	62	60	48	15	79		\$522		
DK 6016 / 10	5,5	7,5	112	104	99	82	76	72	69	67	53	16	85		\$561		
DK 6016 / 11	5,5	7,5	125	116	111	90	83	79	76	74	58	17	91		\$599		
DK 6016 / 12	5,5	7,5	135	127	120	98	91	86	83	80	64	18	97		\$638		
DK 6016 / 13	7,5	10	146	137	130	106	99	93	90	87	69	20	103		\$676		
DK 6016 / 14	7,5	10	158	147	141	115	106	101	97	94	74	21	109		\$715		
DK 6016 / 15	7,5	10	169	158	151	123	114	108	104	100	80	22	115		\$754		
DK 6016 / 16	7,5	10	180	168	160	131	121	115	111	107	85	23	122		\$792		
DK 6016 / 17	9,2	12,5	190	178	169	139	129	122	118	114	90	24	128		\$831		
DK 6016 / 18	9,2	12,5	203	190	181	147	136	129	125	121	95	26	134		\$869		
DK 6016 / 19	9,2	12,5	214	199	190	155	144	136	131	127	101	27	140		\$908		
DK 6016 / 20	9,2	12,5	224	210	200	164	152	144	138	134	106	28	146		\$946		
DK 6016 / 21	11	15	236	222	211	172	159	151	145	141	111	29	152		\$988		
DK 6016 / 22	11	15	247	231	220	180	167	158	152	147	117	30	158		\$ 1.031		
DK 6016 / 23	11	15	258	241	230	188	174	165	159	154	122	32	164		\$ 1.073		
DK 6016 / 24	11	15	269	251	240	196	182	172	166	161	127	33	170		\$ 1.115		
DK 6016 / 25	13	17,5	281	264	251	205	189	180	173	167	133	34	176		\$ 1.157		
DK 6016 / 26	13	17,5	292	273	260	213	197	187	180	174	138	35	183		\$ 1.199		
DK 6016 / 27	13	17,5	303	283	270	221	205	194	187	181	143	36	189		\$ 1.242		
DK 6016 / 28	13	17,5	316	297	283	229	212	201	194	188	149	38	195		\$ 1.284		
DK 6016 / 29	15	20	326	306	293	237	220	208	200	194	154	39	201		\$ 1.326		
DK 6016 / 30	15	20	338	316	302	245	227	215	207	201	159	40	207	2 1/2"	\$ 1.368		
DK 6016 / 31	15	20	348	327	311	254	235	223	214	208	164	41	213		\$ 1.414		
DK 6016 / 32	15	20	359	337	321	262	242	230	221	214	170	42	219		\$ 1.460		
DK 6016 / 33	15	20	370	347	329	270	250	237	228	221	175	44	225		\$ 1.505		
DK 6016 / 34	18,5	25	381	357	337	278	258	244	235	228	180	45	231		\$ 1.551		
DK 6016 / 35	18,5	25	392	367	345	286	265	251	242	234	186	46	237		\$ 1.597		
DK 6016 / 36	18,5	25	403	377	353	295	273	259	249	241	191	47	244		\$ 1.643		
DK 6016 / 37	22	30	414	387	361	303	280	266	256	248	196	48	250		\$ 1.689		
DK 6016 / 38	22	30	425	397	369	311	288	273	263	255	202	50	256		\$ 1.735		
DK 6016 / 39	22	30	436	407	377	319	295	280	269	261	207	51	262		\$ 1.780		
DK 6016 / 40	22	30	447	417	385	327	303	287	276	268	212	52	268		\$ 1.826		
DK 6016 / 41	22	30	458	427	393	335	311	294	283	275	217	53	274		\$ 1.876		
DK 6016 / 42	22	30	469	437	401	344	318	302	290	281	223	54	280		\$ 1.925		
DK 6016 / 43	26	35	480	447	409	352	326	309	297	288	228	56	286		\$ 1.974		
DK 6016 / 44	26	35	491	457	417	360	333	316	304	295	233	57	292		\$ 2.024		
DK 6016 / 45	26	35	502	467	425	368	341	323	311	301	239	58	298		\$ 2.073		
DK 6016 / 46	26	35	513	477	433	376	348	330	318	308	244	59	305		\$ 2.123		
DK 6016 / 47	26	35	524	487	441	385	356	338	325	315	249	60	311		\$ 2.172		
DK 6016 / 48	26	35	535	497	449	393	364	345	332	322	255	62	317		\$ 2.222		
DK 6016 / 49	26	35	546	507	457	401	371	352	338	328	260	63	323		\$ 2.271		
DK 6016 / 50	26	35	557	517	465	409	379	359	345	335	265	64	329		\$ 2.321		
DK 6016 / 51	30	40	568	527	473	417	386	366	352	342	270	65	335		\$ 2.374		
DK 6016 / 52	30	40	579	537	481	425	394	373	359	348	276	66	341		\$ 2.427		
DK 6016 / 53	30	40	590	547	489	434	401	381	366	355	281	67	347		\$ 2.480		
DK 6016 / 54	30	40	601	557	497	442	409	388	373	362	286	69	353		\$ 2.533		
DK 6016 / 55	30	40	612	567	505	450	417	395	380	368	292	70	359		\$ 2.586		
DK 6016 / 56	37	50	623	577	513	458	424	402	387	375	297	71	365		\$ 2.639		
DK 6016 / 57	37	50	634	587	521	466	432	409	394	382	302	72	372		\$ 2.692		
DK 6016 / 58	37	50	645	597	529	475	439	417	401	389	308	73	378		\$ 2.745		
DK 6016 / 59	37	50	656	607	537	483	447	424	407	395	313	75	384		\$ 2.798		
DK 6016 / 60	37	50	667	617	545	491	454	431	414	402	318	76	390		\$ 2.851		

It is recommended to use intermediate bed or jacket

* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6020

50 HZ 380 /415V

Maximum diameter with 4" engine 131 mm
 Maximum diameter with 5" engine 131 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m³/h	0,0	14,0	16,0	18,0	20,0	22,0	24,0					26,0
			l/s	0,00	3,89	4,44	5,00	5,56	6,11	6,67					7,22
DK 6020 / 01	0,75	1	12	9	9	8	8	7	6	6	6	6	34		\$227
DK 6020 / 02	1,5	2	23	18	18	17	15	15	13	12	8	43		\$273	
DK 6020 / 03	2,2	3	34	28	26	25	23	22	20	17	10	53		\$319	
DK 6020 / 04	3	4	44	37	35	34	31	29	26	23	13	62		\$365	
DK 6020 / 05	4	5,5	55	46	44	42	39	37	33	29	15	72		\$411	
DK 6020 / 06	4	5,5	66	55	53	50	46	44	39	35	17	82		\$458	
DK 6020 / 07	5,5	7,5	76	64	61	59	54	51	46	40	20	91		\$504	
DK 6020 / 08	5,5	7,5	87	73	70	67	62	59	52	46	22	101		\$550	
DK 6020 / 09	7,5	10	97	83	79	75	69	66	59	52	24	110		\$596	
DK 6020 / 10	7,5	10	108	92	88	84	77	73	66	58	27	120		\$642	
DK 6020 / 11	7,5	10	119	101	97	92	85	81	72	64	29	130		\$688	
DK 6020 / 12	9,2	12,5	129	110	105	101	93	88	79	69	31	139		\$735	
DK 6020 / 13	9,2	12,5	140	119	114	109	100	95	85	75	33	149		\$781	
DK 6020 / 14	9,2	12,5	151	128	123	117	108	103	92	81	36	158		\$827	
DK 6020 / 15	11	15	161	138	132	126	116	110	98	87	38	168		\$873	
DK 6020 / 16	11	15	172	147	140	134	124	117	105	92	40	178	2 1/2"	\$919	
DK 6020 / 17	11	15	182	156	149	143	131	125	111	98	43	187		\$965	
DK 6020 / 18	13	17,5	193	165	158	151	139	132	118	104	45	197		\$1.012	
DK 6020 / 19	13	17,5	204	174	167	159	147	139	125	110	47	206		\$1.058	
DK 6020 / 20	13	17,5	214	183	176	168	154	147	131	116	50	216		\$1.104	
DK 6020 / 21	15	20	225	192	184	176	162	154	138	121	52	226		\$1.154	
DK 6020 / 22	15	20	235	202	193	185	170	161	144	127	54	235		\$1.204	
DK 6020 / 23	18,5	25	246	211	202	193	178	169	151	133	56	245		\$1.253	
DK 6020 / 24	18,5	25	257	220	211	201	185	176	157	139	59	254		\$1.303	
DK 6020 / 25	18,5	25	267	229	219	210	193	183	164	144	61	297		\$1.353	
DK 6020 / 26	22	30	278	238	228	218	201	191	170	150	71	306		\$1.403	
DK 6020 / 27	22	30	289	247	237	227	209	198	177	156	74	316		\$1.453	
DK 6020 / 28	22	30	299	257	246	235	216	205	184	162	76	325		\$1.502	
DK 6020 / 29	22	30	310	266	255	243	224	213	190	168	78	335		\$1.552	
DK 6020 / 30	26	35	320	275	263	252	232	220	197	173	81	345		\$1.602	



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6030 50 HZ 380 /415V

Maximum diameter with 4" engine 131 mm
 Maximum diameter with 5" engine 131 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm

Pumps Type	Power		Flow									Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	20,0	24,0	28,0	30,0	32,0	36,0	38,0				
			l/s	0,00	5,56	6,67	7,78	8,33	8,89	10,00	10,56				
DK 6030 / 01	1,1	1	11	9	8	7	6	6	4	3	6	34		\$227	
DK 6030 / 02	2,2	2	23	18	17	15	14	13	10	8	8	43		\$273	
DK 6030 / 03	2,2	3	34	28	26	24	22	20	16	13	10	53		\$319	
DK 6030 / 04	3	4	46	38	35	32	30	27	22	18	13	62		\$365	
DK 6030 / 05	4	5,5	57	48	45	41	38	35	28	23	15	72		\$411	
DK 6030 / 06	5,5	7,5	69	57	53	48	46	42	33	28	17	82		\$458	
DK 6030 / 07	5,5	7,5	81	67	63	57	54	49	40	33	20	91		\$504	
DK 6030 / 08	7,5	10	92	76	72	65	61	56	44	38	22	101		\$550	
DK 6030 / 09	7,5	10	105	87	81	74	70	63	51	43	24	110		\$596	
DK 6030 / 10	9,2	12,5	115	96	59	82	77	70	57	47	27	120		\$642	
DK 6030 / 11	9,2	12,5	126	105	98	88	84	76	62	52	29	130		\$688	
DK 6030 / 12	9,2	12,5	138	115	108	98	92	84	68	58	31	139		\$735	
DK 6030 / 13	11	15	149	125	116	106	99	91	73	63	33	149		\$781	
DK 6030 / 14	11	15	161	135	126	115	109	98	80	69	36	158		\$827	
DK 6030 / 15	13	17,5	172	144	135	123	115	106	86	71	38	168		\$873	
DK 6030 / 16	13	17,5	184	155	145	132	124	114	92	77	40	178		\$919	
DK 630 / 17	15	20	196	164	153	139	132	121	97	83	43	187		\$965	
DK 6030 / 18	15	20	209	175	164	151	142	129	105	89	45	197		\$1.012	
DK 6030 / 19	15	20	219	184	173	158	149	137	111	95	47	206		\$1.058	
DK 6030 / 20	18,5	25	230	193	181	165	156	144	115	98	50	216		\$1.104	
DK 6030 / 21	18,5	25	241	202	190	173	163	150	121	105	52	226		\$1.154	
DK 6030 / 22	22	30	254	214	201	184	173	159	129	109	54	235		\$1.204	
DK 6030 / 23	22	30	265	222	209	192	180	166	135	114	56	245		\$1.253	
DK 6030 / 24	22	30	277	232	218	198	188	171	139	119	59	254		\$1.303	
DK 630 / 25	26	35	287	241	226	207	195	180	144	123	61	297	3"	\$1.353	
DK 6030 / 26	26	35	299	249	235	214	202	186	150	128	71	306		\$1.403	
DK 6030 / 27	26	35	312	261	245	224	212	195	157	135	74	316		\$1.453	
DK 6030 / 28	26	35	322	270	253	233	218	201	163	139	76	325		\$1.502	
DK 6030 / 29	26	35	334	280	263	240	226	209	168	144	78	335		\$1.552	
DK 6030 / 30	30	40	345	289	271	246	233	216	172	150	81	345		\$1.602	
DK 6030 / 31	30	40	356	298	280	255	241	223	179	154	83	354		\$1.655	
DK 630 / 32	30	40	369	310	290	264	250	231	186	162	85	364		\$1.709	
DK 6030 / 33	37	50	381	318	299	274	258	238	191	166	88	373		\$1.762	
DK 6030 / 34	37	50	392	328	308	280	264	246	196	171	90	383		\$1.816	
DK 6030 / 35	37	50	402	337	317	289	272	252	201	174	92	393		\$1.869	
DK 6030 / 36	37	50	412	346	326	298	280	258	206	177	94	402		\$1.923	
DK 6030 / 37	37	50	422	355	335	307	288	264	211	180	97	412		\$1.976	
DK 6030 / 38	37	50	432	364	344	316	296	270	216	183	99	421		\$2.029	
DK 6030 / 39	37	50	442	373	353	325	304	276	221	186	101	431		\$2.083	
DK 6030 / 40	45	60	452	382	362	334	312	282	226	189	104	441		\$2.136	
DK 6030 / 41	45	60	462	391	371	343	320	288	231	192	106	450		\$2.193	
DK 6030 / 42	45	60	472	400	380	352	328	294	236	195	108	460		\$2.250	
DK 6030 / 43	45	60	482	409	389	361	336	300	241	198	111	469		\$2.308	
DK 6030 / 44	45	60	492	418	398	370	344	306	246	201	113	479		\$2.365	
DK 6030 / 45	45	60	502	427	407	379	352	312	251	204	115	489		\$2.422	
DK 6030 / 46	45	60	512	436	416	388	360	318	256	207	117	498		\$2.479	
DK 6030 / 47	45	60	522	445	425	397	368	324	261	210	120	508		\$2.536	
DK 6030 / 48	45	60	532	454	434	406	376	330	266	213	122	517		\$2.593	
DK 6030 / 49	45	60	542	463	443	415	384	336	271	216	124	527		\$2.650	
DK 6030 / 50	52	70	552	472	452	424	392	342	276	219	127	537		\$2.707	

It is recommended to use intermediate bed or jacket



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6036

50 HZ 380 /415V

Maximum diameter with 4" engine 141 mm
 Maximum diameter with 5" engine 141 mm
 Maximum diameter with 6" engine 171 mm
 Maximum diameter with 7" engine 192 mm

Pumps Type	Power		m³/h l/s	Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp		0,0	27,0	30,0	33,0	36,0	39,0	42,0	45,0				
DK 6036 / 01	1,1	1,5	12	10	9	9	8	8	7	7	6	6	35	3"	\$232
DK 6036 / 02	2,2	3	24	20	19	18	17	15	15	13	12	8	47		\$285
DK 6036 / 03	3	4	36	30	28	27	25	23	22	20	18	10	58		\$337
DK 6036 / 04	4	5,5	48	40	38	35	33	31	29	26	24	13	70		\$390
DK 6036 / 05	5,5	7,5	60	50	47	44	42	39	36	33	30	15	81		\$442
DK 6036 / 06	5,5	7,5	72	60	57	53	50	46	44	39	36	17	93		\$495
DK 6036 / 07	7,5	10	84	71	66	62	58	54	51	46	43	20	104		\$548
DK 6036 / 08	7,5	10	96	81	75	71	67	62	58	52	49	22	116		\$600
DK 6036 / 09	9,2	12,5	108	91	85	80	75	69	66	59	55	25	127		\$653
DK 6036 / 10	11	15	120	101	94	89	84	77	73	65	61	27	138		\$706
DK 6036 / 11	11	15	132	111	104	97	92	85	80	72	67	30	150		\$762
DK 6036 / 12	13	17,5	144	121	113	106	100	93	87	78	73	32	162		\$818
DK 6036 / 13	13	17,5	156	131	123	115	109	100	95	85	79	35	173		\$874
DK 6036 / 14	15	20	168	141	132	124	117	108	102	91	85	37	184		\$930
DK 6036 / 15	15	20	180	151	141	133	125	116	109	98	91	39	196		\$986
DK 6036 / 16	18,5	25	192	161	151	142	134	123	117	104	97	42	207		\$1.042
DK 6036 / 17	18,5	25	204	171	160	151	142	131	124	111	103	44	219		\$1.098
DK 6036 / 18	22	30	216	181	170	159	150	139	131	117	109	47	230		\$1.154
DK 6036 / 19	22	30	228	191	179	168	159	147	138	124	115	49	241		\$1.210
DK 6036 / 20	22	30	240	201	189	177	167	154	146	130	121	52	253		\$1.266
DK 6036 / 21	26	35	252	211	198	186	176	162	153	137	127	54	264		\$1.325
DK 6036 / 22	26	35	264	222	207	195	184	170	160	143	134	57	276		\$1.384
DK 6036 / 23	26	35	276	232	217	204	192	177	168	150	140	59	287		\$1.444
DK 6036 / 24	30	40	288	242	226	213	201	185	175	156	146	70	322		\$1.503
DK 6036 / 25	30	40	300	252	236	221	209	193	182	163	152	72	333		\$1.563
DK 6036 / 26	30	40	312	262	245	230	217	201	189	169	158	74	345		\$1.622
DK 6036 / 27	37	50	324	272	255	239	226	208	197	176	164	77	356		\$1.681
DK 6036 / 28	37	50	336	282	264	248	234	216	204	182	170	79	368		\$1.741
DK 6036 / 29	37	50	348	292	273	257	242	224	211	189	176	82	379		\$1.800
DK 6036 / 30	37	50	360	302	283	266	251	232	219	195	182	84	390		\$1.859

It is recommended to use intermediate bed or jacket.

Basma Yüksekliği mSS / Head mSS



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6046

50 HZ 380 /415V

Maximum diameter with 4" engine 141 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm

Pumps Type	Power		Flow										Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	30,0	38,0	42,0	46,0	50,0	54,0	58,0	60,0				
	l/s	0,00	8,33	10,56	11,67	12,78	13,89	15,00	16,11	16,67						
DK 6046 / 01	1,1	1,5	13	10	9	8	7	6	5	4	4	6	35	3"	\$232	
DK 6046 / 02	2,2	3	26	21	19	18	16	14	12	10	9	8	47		\$285	
DK 6046 / 03	4	5,5	40	33	29	27	25	23	20	17	13	10	58		\$337	
DK 6046 / 04	5,5	7,5	53	44	40	37	34	31	27	23	18	13	70		\$390	
DK 6046 / 05	5,5	7,5	67	54	49	46	43	39	34	28	22	15	81		\$442	
DK 6046 / 06	7,5	10	80	66	59	56	51	47	41	34	26	17	93		\$495	
DK 6046 / 07	9,2	12,5	93	77	70	65	60	55	48	41	31	20	104		\$548	
DK 6046 / 08	9,2	12,5	107	88	80	75	69	63	56	47	35	22	116		\$600	
DK 6046 / 09	11	15	121	100	90	85	79	71	63	53	40	25	127		\$653	
DK 6046 / 10	13	17,5	133	110	100	94	86	79	69	59	44	27	138		\$706	
DK 6046 / 11	13	17,5	147	122	111	105	96	88	78	66	48	30	150	\$762		
DK 6046 / 12	15	20	160	132	121	114	105	95	84	71	53	32	161	\$818		
DK 6046 / 13	15	20	174	144	132	124	115	104	92	77	57	35	173	\$874		
DK 6046 / 14	18,5	25	186	155	141	133	122	112	99	83	62	37	184	\$930		
DK 6046 / 15	22	30	199	166	150	142	131	119	105	88	66	39	196	\$986		
DK 6046 / 16	22	30	213	179	162	152	141	128	114	96	70	42	207	\$1.042		
DK 6046 / 17	26	35	226	189	171	161	149	135	120	102	75	44	219	\$1.098		
DK 6046 / 18	26	35	240	201	183	172	159	144	128	109	79	47	230	\$1.154		
DK 6046 / 19	26	35	252	212	191	179	168	152	135	114	84	49	241	\$1.210		
DK 6046 / 20	30	40	265	222	201	189	175	160	141	120	88	52	253	\$1.266		
DK 6046 / 21	30	40	279	235	214	202	186	171	151	127	92	54	264	\$1.325		
DK 6046 / 22	37	50	292	246	223	211	194	177	158	134	97	57	276	\$1.384		
DK 6046 / 23	37	50	305	257	233	220	204	185	163	139	101	59	287	\$1.444		
DK 6046 / 24	37	50	317	267	242	228	211	193	170	143	106	70	322	\$1.503		
DK 6046 / 25	37	50	332	279	253	239	220	202	177	151	110	72	333	\$1.563		
DK 6046 / 26	37	50	349	291	264	250	231	210	185	159	114	74	345	\$1.622		
DK 6046 / 27	45	60	362	302	275	259	239	218	192	165	119	77	356	\$1.681		
DK 6046 / 28	45	60	374	312	284	268	247	225	199	170	123	79	368	\$1.741		
DK 6046 / 29	45	60	387	323	293	276	255	232	206	174	128	82	379	\$1.800		
DK 6046 / 30	45	60	400	334	303	285	264	239	213	179	132	84	390	\$1.859		
DK 6046 / 31	45	60	413	345	313	294	273	246	220	184	136	87	402	\$1.922		
DK 6046 / 32	45	60	426	356	323	303	282	253	227	189	141	89	413	\$1.985		
DK 6046 / 33	45	60	439	367	333	312	291	260	234	194	145	92	425	\$2.048		
DK 6046 / 34	45	60	452	378	343	321	300	267	241	199	150	94	436	\$2.111		
DK 6046 / 35	52	70	465	389	353	330	309	274	248	204	154	96	448	\$2.173		
DK 6046 / 36	52	70	478	400	363	339	318	281	255	209	158	99	459	\$2.236		
DK 6046 / 37	52	70	491	411	373	348	327	288	262	214	168	101	471	\$2.299		
DK 6046 / 38	52	70	504	422	383	357	336	295	269	219	167	104	482	\$2.362		
DK 6046 / 39	55	75	517	433	393	366	345	302	276	224	172	106	493	\$2.425		
DK 6046 / 40	55	75	530	444	403	375	354	309	283	229	176	109	505	\$2.487		
DK 6046 / 41	59	80	543	455	413	384	363	316	290	234	180	111	516	\$2.553		
DK 6046 / 42	59	80	556	466	423	393	372	323	297	239	185	114	528	\$2.620		
DK 6046 / 43	59	80	569	477	433	402	381	330	304	244	189	116	539	\$2.686		
DK 6046 / 44	59	80	582	488	443	411	390	337	311	249	194	119	551	\$2.752		
DK 6046 / 45	66	90	595	499	453	420	399	344	318	254	198	121	562	\$2.818		
DK 6046 / 46	66	90	608	510	463	429	408	351	325	259	202	123	574	\$2.884		
DK 6046 / 47	66	90	621	521	473	438	417	358	332	264	207	126	585	\$2.950		
DK 6046 / 48	66	90	634	532	483	447	426	365	339	269	211	128	597	\$3.017		
DK 6046 / 49	75	100	647	543	493	456	435	372	346	274	216	131	608	\$3.083		

It is recommended to use intermediate bed or jacket



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6060

50 HZ 380 / 415V

Maximum diameter with 4" engine 141 mm
 Maximum diameter with 6" engine 141 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm

Pumps Type	Power		Flow							Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m³/h	0,0	40,0	50,0	55,0	60,0	65,0					70,0
			l/s	0,00	11,11	13,39	15,28	16,67	18,06					19,44
DK 6060 / 01	1,5	2		13	10	9	9	8	8	6	6	35	\$237	
DK 6060 / 02	3	4		26	21	17	17	14	14	12	8	47	\$291	
DK 6060 / 03	4	5,5		39	31	26	25	22	20	17	10	58	\$344	
DK 6060 / 04	5,5	7,5		52	41	34	33	29	27	23	13	70	\$398	
DK 6060 / 05	7,5	10		65	51	43	41	36	33	28	15	81	\$452	
DK 6060 / 06	9,2	12,5		78	62	51	49	44	40	34	17	93	\$506	
DK 6060 / 07	9,2	12,5		91	72	60	58	51	46	40	20	104	\$559	
DK 6060 / 08	11	15		104	82	68	66	58	52	45	22	116	\$613	
DK 6060 / 09	13	17,5		117	92	77	74	66	59	51	25	127	\$667	
DK 6060 / 10	15	20		130	103	85	82	73	65	57	27	138	\$721	
DK 6060 / 11	18,5	25		143	113	94	90	81	72	62	30	150	\$778	
DK 6060 / 12	18,5	25		156	123	102	98	88	78	68	32	161	\$835	
DK 6060 / 13	22	30		169	133	111	106	95	85	73	35	173	\$892	
DK 6060 / 14	22	30		182	144	119	114	103	91	79	37	184	\$949	
DK 6060 / 15	26	35		195	154	128	122	110	98	85	39	196	\$1.007	
DK 6060 / 16	26	35		208	164	136	130	117	104	90	42	207	\$1.064	
DK 6060 / 17	30	40		221	174	145	138	125	110	96	44	219	\$1.121	
DK 6060 / 18	30	40		234	184	153	146	132	117	102	47	230	\$1.178	
DK 6060 / 19	37	50		247	195	162	154	139	123	107	49	241	\$1.235	
DK 6060 / 20	37	50		260	205	170	162	147	130	113	52	253	\$1.293	
DK 6060 / 21	37	50		273	215	179	170	154	136	119	54	264	\$1.353	
DK 6060 / 22	37	50		286	225	187	178	161	143	124	57	276	\$1.414	
DK 6060 / 23	45	60		299	236	196	186	169	149	130	59	287	\$1.475	
DK 6060 / 24	45	60		312	246	204	194	176	155	135	70	322	\$1.535	
DK 6060 / 25	45	60		325	256	213	202	184	162	141	72	333	\$1.596	
DK 6060 / 26	45	60		338	266	221	210	191	168	147	74	345	\$1.657	
DK 6060 / 27	45	60		351	277	230	219	198	175	152	77	356	\$1.717	
DK 6060 / 28	52	70		364	287	239	227	206	181	158	79	368	\$1.778	
DK 6060 / 29	52	70		377	297	247	235	213	188	164	82	379	\$1.839	
DK 6060 / 30	52	70		390	307	256	243	220	194	169	84	390	\$1.899	
DK 6060 / 31	52	70		403	318	264	251	228	201	175	87	402	\$1.963	
DK 6060 / 32	55	75		416	328	273	259	235	207	181	89	413	\$2.028	
DK 6060 / 33	55	75		429	338	281	267	242	213	186	92	425	\$2.092	
DK 6060 / 34	59	80		442	348	290	275	250	220	192	94	436	\$2.156	
DK 6060 / 35	59	80		455	358	298	283	257	226	197	96	448	\$2.220	
DK 6060 / 36	59	80		468	369	307	291	265	233	203	99	459	\$2.284	
DK 6060 / 37	59	80		481	379	315	299	272	239	209	101	471	\$2.348	
DK 6060 / 38	66	90		494	389	324	307	279	246	214	104	482	\$2.412	
DK 6060 / 39	66	90		507	399	332	315	287	252	220	106	493	\$2.476	
DK 6060 / 40	66	90		520	410	341	323	294	259	226	109	505	\$2.541	
DK 6060 / 41	75	100		533	420	349	331	301	265	231	111	516	\$2.608	
DK 6060 / 42	75	100		546	430	358	339	309	271	237	114	528	\$2.676	
DK 6060 / 43	75	100		559	440	366	347	316	278	243	116	539	\$2.743	
DK 6060 / 44	75	100		572	451	375	355	323	284	248	119	551	\$2.811	
DK 6060 / 45	81	110		585	461	383	363	331	291	254	121	562	\$2.879	
DK 6060 / 46	81	110		598	471	392	371	338	297	259	123	574	\$2.946	

It is recommended to use intermediate bed or jacket

Head mSS

4"



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6075 50 HZ 380 /415V

Maximum diameter with 6" engine 158 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm

Pumps Type	Power		Flow									Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m ³ /h	0,0	55,0	65,0	70,0	75,0	80,0	85,0	95,0				
			l/s	0,00	15,28	18,06	19,44	20,83	22,22	23,61	26,39				
DK 6075 / 01	3	4	17	12	11	11	9	8	7	6	11	44	4"	\$417	
DK 6075 / 02	5,5	7,5	35	24	22	21	19	17	14	12	14	58		\$501	
DK 6075 / 03	7,5	10	52	37	34	32	28	25	22	18	17	72		\$586	
DK 6075 / 04	9,2	12,5	70	49	45	42	38	34	29	24	20	86		\$670	
DK 6075 / 05	13	17,5	87	61	56	53	47	42	36	30	23	100		\$754	
DK 6075 / 06	15	20	104	73	67	64	56	50	43	36	26	114		\$839	
DK 6075 / 07	18,5	25	122	85	78	74	66	59	50	42	29	128		\$923	
DK 6075 / 08	22	30	139	98	90	85	75	67	58	48	32	142		\$1.008	
DK 6075 / 09	26	35	157	110	101	95	85	76	65	54	35	156		\$1.092	
DK 6075 / 10	26	35	174	122	112	106	94	84	72	60	38	170		\$1.177	
DK 6075 / 11	30	40	191	134	123	117	103	92	79	66	41	184		\$1.266	
DK 6075 / 12	37	50	209	146	134	127	113	101	86	72	44	198		\$1.355	
DK 6075 / 13	37	50	226	159	146	138	122	109	94	78	47	213		\$1.444	
DK 6075 / 14	45	60	244	171	157	148	132	118	101	84	50	227		\$1.533	
DK 6075 / 15	45	60	261	183	168	159	141	126	108	90	53	241		\$1.622	
DK 6075 / 16	45	60	278	195	179	170	150	134	115	96	56	255		\$1.711	
DK 6075 / 17	45	60	296	207	190	180	160	143	122	102	59	269		\$1.800	
DK 6075 / 18	52	70	313	220	202	191	169	151	130	108	62	283		\$1.889	
DK 6075 / 19	55	75	331	232	213	201	179	160	137	114	65	297		\$1.978	
DK 6075 / 20	59	80	348	244	224	212	188	168	144	120	68	311		\$2.067	
DK 6075 / 21	59	80	365	256	235	223	197	176	151	126	71	325		\$2.160	
DK 6075 / 22	59	80	383	268	246	233	207	185	158	132	74	339		\$2.254	
DK 6075 / 23	66	90	400	281	258	244	216	193	166	138	77	353		\$2.348	
DK 6075 / 24	66	90	418	293	269	254	226	202	173	144	80	367		\$2.441	
DK 6075 / 25	75	100	435	305	280	265	235	210	180	150	83	381		\$2.535	
DK 6075 / 26	75	100	452	317	291	276	244	218	187	156	86	395		\$2.628	
DK 6075 / 27	81	110	470	329	302	286	254	227	194	162	89	409		\$2.722	
DK 6075 / 28	81	110	487	342	314	297	263	235	202	168	92	423		\$2.816	
DK 6075 / 29	92	125	505	354	325	307	273	244	209	174	95	437		\$2.909	
DK 6075 / 30	92	125	522	366	336	318	282	252	216	180	98	451		\$3.003	
DK 6075 / 31	92	125	539	378	347	329	291	260	223	186	101	465		\$3.101	
DK 6075 / 32	92	125	557	390	358	339	301	269	230	192	104	479		\$3.199	
DK 6075 / 33	110	150	574	403	370	350	310	277	238	198	107	493		\$3.297	
DK 6075 / 34	110	150	592	415	381	360	320	286	245	204	110	507		\$3.396	
DK 6075 / 35	110	150	609	427	392	371	329	294	252	210	113	521		\$3.494	
DK 6075 / 36	110	150	626	439	403	382	338	302	259	216	116	535		\$3.592	

* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-6095 50 HZ 380 /415V

Maximum diameter with 6" engine 158 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m ³ /h	0,0	80,0	85,0	90,0	95,0	100,0	105,0					115,0
			l/s	0,00	22,22	23,61	25,00	26,39	27,78	29,17					31,94
DK 6095 / 01	3	4	Head mSS	17	11	10	9	8	7	6	4	11	44	4"	\$417
DK 6095 / 02	5,5	7,5		35	21	19	18	16	14	11	9	14	58		\$501
DK 6095 / 03	9,2	12,5		52	32	29	28	24	20	17	13	17	72		\$586
DK 6095 / 04	11	15		70	42	38	37	32	27	22	18	20	86		\$670
DK 6095 / 05	13	17,5		87	53	48	46	40	34	28	22	23	100		\$754
DK 6095 / 06	18,5	25		104	64	58	55	48	41	34	26	26	114		\$839
DK 6095 / 07	22	30		122	74	67	64	56	48	39	31	29	128		\$923
DK 6095 / 08	26	35		139	85	77	74	64	54	45	35	32	142		\$1.008
DK 6095 / 09	30	40		157	95	86	83	72	61	50	40	35	156		\$1.092
DK 6095 / 10	37	50		175	92	96	92	80	68	56	44	38	170		\$1.177
DK 6095 / 11	37	50		191	117	106	101	88	75	62	48	41	184		\$1.266
DK 6095 / 12	45	60		209	127	115	110	96	82	67	53	44	198		\$1.355
DK 6095 / 13	45	60		226	138	125	120	104	88	73	57	47	213		\$1.444
DK 6095 / 14	45	60		244	148	134	129	112	95	78	62	50	227		\$1.533
DK 6095 / 15	45	60		261	159	144	138	120	102	84	66	53	241		\$1.622
DK 6095 / 16	52	70		278	170	154	147	128	109	90	70	56	255		\$1.711

*Hight quality,
 Hight effenciency...*



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



7" PUMPS



DK-7086

50 HZ 380 /415V

 Maximum diameter with 6" engine 172 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm
 Maximum diameter with 10" engine 203 mm

Pumps Type	Power		Flow										Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	60,0	70,0	75,0	80,0	85,0	90,0	95,0	100,0				
			l/s	0,00	16,67	19,44	20,83	22,22	23,61	25,00	26,39	27,78				
DK 7086 / 01	3	4	19	14	12	12	11	10	10	9	8	19	55	5"	\$556	
DK 7086 / 02	5,5	7,5	37	27	25	24	23	21	19	18	16	23	68	5"	\$647	
DK 7086 / 03	9,2	12,5	56	41	37	36	34	31	29	26	24	27	81	5"	\$739	
DK 7086 / 04	11	15	75	54	49	48	45	41	39	35	32	31	94	5"	\$831	
DK 7086 / 05	15	20	93	68	61	60	56	51	48	44	40	35	107	5"	\$923	
DK 7086 / 06	18,5	25	112	81	74	71	68	62	58	53	47	38	119	5"	\$1.014	
DK 7086 / 07	22	30	131	95	86	83	79	72	68	62	55	42	132	5"	\$1.106	
DK 7086 / 08	26	35	149	108	98	95	90	82	77	71	63	46	145	5"	\$1.198	
DK 7086 / 09	30	40	168	122	110	107	101	92	87	79	71	50	158	5"	\$1.290	
DK 7086 / 10	37	50	187	135	123	119	113	103	97	88	79	54	171	5"	\$1.381	
DK 7086 / 11	37	50	205	149	135	131	124	113	106	97	87	57	183	5"	\$1.473	
DK 7086 / 12	45	60	224	162	147	143	135	123	116	106	95	61	196	5"	\$1.565	
DK 7086 / 13	45	60	243	176	159	155	146	133	126	115	103	65	209	5"	\$1.656	
DK 7086 / 14	45	60	261	189	172	167	158	144	135	124	111	69	222	5"	\$1.748	
DK 7086 / 15	52	70	280	203	184	179	169	154	145	133	119	73	235	5"	\$1.840	
DK 7086 / 16	52	70	299	216	196	191	180	164	155	141	127	76	247	5"	\$1.932	
DK 7086 / 17	55	75	317	230	208	203	191	174	164	150	135	80	260	5"	\$2.023	
DK 7086 / 18	59	80	336	243	221	215	203	185	174	159	143	84	273	5"	\$2.115	
DK 7086 / 19	59	80	355	257	233	226	214	195	184	168	150	88	286	5"	\$2.207	
DK 7086 / 20	66	90	373	270	245	238	225	205	193	177	158	92	299	5"	\$2.299	
DK 7086 / 21	75	100	392	284	257	250	236	215	203	186	166	95	311	5"	\$2.390	
DK 7086 / 22	75	100	411	297	270	262	248	226	213	194	174	99	324	5"	\$2.482	
DK 7086 / 23	75	100	429	311	282	274	259	236	222	203	182	103	337	5"	\$2.574	
DK 7086 / 24	81	110	448	324	294	286	270	246	232	212	190	107	350	5"	\$2.665	
DK 7086 / 25	92	125	467	338	306	298	281	256	242	221	198	111	363	5"	\$2.761	
DK 7086 / 26	92	125	485	351	319	310	293	267	251	230	206	114	375	5"	\$2.857	
DK 7086 / 27	92	125	504	365	331	322	304	277	261	239	214	118	388	5"	\$2.952	
DK 7086 / 28	92	125	523	378	343	334	315	287	271	247	222	122	401	5"	\$3.048	
DK 7086 / 29	110	150	541	392	355	346	326	297	280	256	230	126	414	5"	\$3.143	
DK 7086 / 30	110	150	560	405	368	358	338	308	290	265	238	130	427	5"	\$3.239	
DK 7086 / 31	110	150	579	416	380	369	349	318	300	274	245	133	439	5"	\$3.339	
DK 7086 / 32	110	150	597	432	392	381	360	328	309	283	253	137	452	5"	\$3.438	
DK 7086 / 33	110	150	616	446	404	393	371	338	319	292	261	141	465	5"	\$3.537	
DK 7086 / 34	110	150	635	459	417	405	383	349	329	300	269	145	478	5"	\$3.637	
DK 7086 / 35	129	175	653	473	429	417	394	359	338	309	277	149	491	5"	\$3.736	
DK 7086 / 36	129	175	672	486	441	429	405	369	348	318	285	152	503	5"	\$3.840	
DK 7086 / 37	129	175	691	500	453	441	416	379	358	327	293	156	516	5"	\$3.943	
DK 7086 / 38	129	175	709	513	466	453	428	390	367	336	301	160	529	5"	\$4.046	
DK 7086 / 39	129	175	728	527	478	465	439	400	377	345	309	164	542	5"	\$4.150	
DK 7086 / 40	129	175	747	540	490	477	450	410	387	354	317	168	555	5"	\$4.253	
DK 7086 / 41	147	200	765	554	502	489	461	420	396	362	325	171	567	5"	\$4.357	
DK 7086 / 42	147	200	784	567	515	501	473	431	406	371	333	175	580	5"	\$4.460	
DK 7086 / 43	147	200	803	581	527	513	484	441	416	380	341	179	593	5"	\$4.563	



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-7105 50 HZ 380 /415V

Maximum diameter with 6" engine 172 mm
 Maximum diameter with 7" engine 172 mm
 Maximum diameter with 8" engine 192 mm
 Maximum diameter with 10" engine 203 mm

Pumps Type	Power		Flow										Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	75,0	90,0	95,0	100,0	105,0	110,0	115,0	120,0				
			l/s	0,00	20,83	25,00	26,39	27,78	29,17	30,56	31,94	33,33				
DK 7105 / 01	4	5,5	22	15	13	12	12	11	10	10	8	19	55	5"	\$556	
DK 7105 / 02	7,5	10	43	31	27	25	23	22	21	19	16	23	68		\$647	
DK 7105 / 03	11	15	65	46	40	37	35	33	31	29	23	27	81		\$739	
DK 7105 / 04	15	20	87	61	54	50	47	45	42	38	31	31	94		\$831	
DK 7105 / 05	22	30	108	76	67	62	58	56	52	48	39	35	107		\$923	
DK 7105 / 06	26	35	130	92	80	74	70	67	62	57	47	38	119		\$1.014	
DK 7105 / 07	30	40	151	107	94	87	81	78	73	67	54	42	132		\$1.106	
DK 7105 / 08	37	50	173	122	107	99	93	89	83	76	62	46	145		\$1.198	
DK 7105 / 09	45	60	195	137	120	111	105	100	93	86	70	50	158		\$1.290	
DK 7105 / 10	45	60	216	153	134	124	116	111	104	95	78	54	171		\$1.381	
DK 7105 / 11	45	60	238	168	147	136	128	122	114	105	85	57	183		\$1.473	
DK 7105 / 12	52	70	260	183	161	149	140	134	125	114	93	61	196		\$1.565	
DK 7105 / 13	59	80	281	198	174	161	151	145	135	124	101	65	209		\$1.656	
DK 7105 / 14	59	80	303	214	187	173	163	156	145	133	109	69	222		\$1.748	
DK 7105 / 15	66	90	324	229	201	186	174	167	156	143	116	73	235		\$1.840	
DK 7105 / 16	75	100	346	244	214	198	186	178	166	152	124	76	247		\$1.932	
DK 7105 / 17	75	100	368	259	227	210	198	189	176	162	132	80	260		\$2.023	
DK 7105 / 18	81	110	389	275	241	223	209	200	187	171	140	84	273		\$2.115	
DK 7105 / 19	92	125	411	290	254	235	221	211	197	181	147	88	286		\$2.207	
DK 7105 / 20	92	125	433	305	268	248	233	223	208	190	155	92	299		\$2.299	
DK 7105 / 21	92	125	454	320	281	260	244	234	218	200	163	95	311		\$2.390	
DK 7105 / 22	110	150	476	336	294	272	256	245	228	209	171	99	324	5"	\$2.482	
DK 7105 / 23	110	150	497	351	308	285	267	256	239	219	178	103	337		\$2.574	
DK 7105 / 24	110	150	519	366	321	297	279	267	249	228	186	107	350		\$2.665	
DK 7105 / 25	110	150	541	381	334	309	291	278	259	238	194	111	363		\$2.761	
DK 7105 / 26	110	150	562	397	348	322	302	289	270	247	202	114	375		\$2.857	
DK 7105 / 27	129	175	584	412	361	334	314	300	280	257	209	118	388		\$2.952	
DK 7105 / 28	129	175	606	427	375	347	326	312	291	266	217	122	401		\$3.048	
DK 7105 / 29	129	175	627	442	388	359	337	323	301	276	225	126	414		\$3.143	
DK 7105 / 30	129	175	649	458	401	371	349	334	311	285	233	130	427		\$3.239	
DK 7105 / 31	147	200	670	473	415	384	360	345	322	295	240	133	439		\$3.339	
DK 7105 / 32	147	200	692	488	428	396	372	356	332	304	248	137	452		\$3.438	
DK 7105 / 33	147	200	714	503	441	408	384	367	342	314	256	141	465		\$3.537	
DK 7105 / 34	147	200	735	519	455	421	395	378	353	323	264	145	478		\$3.637	
DK 7105 / 35	166	225	757	534	468	433	407	389	363	333	271	149	491		\$3.736	
DK 7105 / 36	166	225	779	549	482	446	419	401	374	342	279	152	503		\$3.840	
DK 7105 / 37	166	225	800	564	495	458	430	412	384	352	287	156	516		\$3.943	
DK 7105 / 38	166	225	822	580	508	470	442	423	394	361	295	160	529		\$4.046	
DK 7105 / 39	166	225	843	595	522	483	453	434	405	371	302	164	542		\$4.150	
DK 7105 / 40	185	250	865	610	535	495	465	445	415	380	310	168	555		\$4.253	
DK 7105 / 41	185	250	887	625	548	507	477	456	425	390	318	171	567		\$4.357	
DK 7105 / 42	185	250	908	641	562	520	488	467	436	399	326	175	580		\$4.460	
DK 7105 / 43	185	250	930	656	575	532	500	478	446	409	333	179	593		\$4.563	

* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



8" PUMPS



DK-8105
50 HZ 380 /415V

 6" Motor ile Birlikte Maksimum Çap 208 mm
 7" Motor ile Birlikte Maksimum Çap 208 mm
 8" Motor ile Birlikte Maksimum Çap 208 mm
 10" Motor ile Birlikte Maksimum Çap 231 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m ³ /h	0,0	75,0	90,0	105,0	120,0	130,0	140,0				
			l/s	0,00	20,83	25,00	29,17	33,33	36,11	38,89				
DK 8105 / 01	7,5	10	29	25	23	21	18	16	14	25	58	6"	\$853	
DK 8105 / 02	13	17,5	60	49	45	42	35	32	29	32	73		\$1.028	
DK 8105 / 03	22	30	89	74	68	62	53	48	43	39	88		\$1.204	
DK 8105 / 04K	30	40	119	98	90	83	70	64	57	46	103		\$1.379	
DK 8105 / 05K	37	50	149	123	113	104	88	80	71	53	118		\$1.554	
DK 8105 / 06	45	60	179	147	135	125	105	96	86	60	133		\$1.730	
DK 8105 / 07	55	75	209	172	158	145	123	112	100	67	148		\$1.905	
DK 8105 / 08	59	80	239	196	180	166	140	128	114	73	163		\$2.080	
DK 8105 / 09K	66	90	269	221	203	187	158	144	128	80	178		\$2.256	
DK 8105 / 10KK	75	100	299	245	225	208	175	160	143	87	193		\$2.431	
DK 8105 / 11KK	81	110	329	270	248	228	193	176	157	94	208		\$2.628	
DK 8105 / 12K	92	125	359	294	270	249	210	192	171	94	223		\$2.825	
DK 8105 / 13	110	150	389	319	293	270	228	208	185	94	238		\$3.022	
DK 8105 / 14	110	150	419	343	315	291	245	224	200	101	253		\$3.219	
DK 8105 / 15KK	110	150	449	368	338	311	263	240	214	108	268		\$3.416	
DK 8105 / 16	129	175	479	392	360	332	280	256	228	115	283		\$3.635	
DK 8105 / 17	129	175	509	417	383	353	298	272	242	122	298		\$3.854	
DK 8105 / 18	147	200	539	441	405	374	315	288	257	129	313		\$4.073	
DK 8105 / 19	147	200	569	466	428	394	333	304	271	136	328		\$4.292	
DK 8105 / 20	166	225	599	490	450	415	350	320	285	142	343		\$4.511	
DK 8105 / 21	166	225	629	515	473	436	368	336	299	149	358		\$4.752	
DK 8105 / 22K	166	225	659	539	495	457	385	352	314	156	373		\$4.992	
DK 8105 / 23	184	250	689	564	518	477	403	368	328	163	388		\$5.233	
DK 8105 / 24	184	250	719	588	540	498	420	384	342	170	403		\$5.474	

DK-8110

50 HZ 380 /415V

6" Motor ile Birlikte Maksimum Çap 208 mm
 7" Motor ile Birlikte Maksimum Çap 208 mm
 8" Motor ile Birlikte Maksimum Çap 208 mm
 10" Motor ile Birlikte Maksimum Çap 231 mm

Pumps Type	Power		Flow							Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m ³ /h	0,0	80,0	90,0	100,0	110,0	120,0					130,0
			l/s	0,00	22,22	25,00	27,78	30,56	33,33					36,11
DK 8110 / 01	7,5	10	Head mSS	23	21	21	20	18	17	15	25	58	\$853	
DK 8110 / 02	13	17,5		46	43	41	39	37	33	30	32	74	\$1.028	
DK 8110 / 03	22	30		69	64	62	59	55	50	45	39	90	\$1.204	
DK 8110 / 04	30	40		91	85	82	78	74	67	60	46	105	\$1.379	
DK 8110 / 05	45	60		114	107	103	98	92	83	75	53	121	\$1.554	
DK 8110 / 06	45	60		137	128	123	117	110	100	90	60	137	\$1.730	
DK 8110 / 07	55	75		160	150	144	137	129	117	105	67	152	\$1.905	
DK 8110 / 08	59	80		183	171	165	156	147	133	120	73	168	\$2.080	
DK 8110 / 09	75	100		206	192	185	176	165	150	135	80	184	\$2.256	
DK 8110 / 10	81	110		229	214	206	195	184	167	150	87	199	\$2.431	
DK 8110 / 11	92	125		251	235	226	215	202	183	165	94	215	\$2.628	
DK 8110 / 12	110	150		274	256	247	234	221	200	180	94	231	\$2.825	
DK 8110 / 13	110	150		297	278	267	254	239	217	195	94	247	\$3.022	
DK 8110 / 14	110	150		320	299	288	273	257	233	210	101	262	\$3.219	
DK 8110 / 15	129	175		343	320	309	293	276	250	225	108	278	\$3.416	
DK 8110 / 16	129	175		366	342	329	312	294	267	240	115	294	\$3.635	
DK 8110 / 17	129	175		388	363	350	332	313	283	255	122	309	\$3.854	
DK 8110 / 18	147	200		411	385	370	351	311	300	270	129	325	\$4.073	
DK 8110 / 19	147	200		434	406	391	371	349	317	285	136	341	\$4.292	
DK 8110 / 20	166	225		457	427	411	390	368	333	300	142	356	\$4.511	



LESS ENERGY ,
 MORE WATER ...



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-8126

50 HZ 380 /415V

Maximum diameter with 6" engine 208 mm
 Maximum diameter with 7" engine 208 mm
 Maximum diameter with 8" engine 208 mm
 Maximum diameter with 10" engine 231 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
			m³/h	0,0	90,0	110,0	126,0	140,0	150,0	160,0				
	Kw	Hp	l/s	0,00	25,00	30,56	35,00	38,89	41,67	44,44				
DK 8126/01/K	7,5	10	Head mSS	21	16	15	13	10	8	6	25	58	6"	\$853
DK 8126/01	7,5	10		30	23	21	19	17	15	13	25	58	\$853	
DK 8126/02/KK	13	17,5		40	33	30	26	20	16	11	32	74	\$1.028	
DK 8126/02/K	15	20		49	40	37	32	28	24	19	32	74	\$1.028	
DK 8126/02	18,5	25		58	48	44	40	36	32	28	32	74	\$1.028	
DK 8126/03/KK	22	30		69	58	53	46	39	32	25	39	90	\$1.204	
DK 8126/03/K	26	35		77	64	59	53	46	39	33	39	90	\$1.204	
DK 8126/03	30	40		88	72	66	61	54	48	42	39	90	\$1.204	
DK 8126/04/KK	37	50		98	82	75	66	57	48	39	46	105	\$1.379	
DK 8126/04/K	37	50		107	89	82	74	64	56	47	46	105	\$1.379	
DK 8126/04	37	60		116	96	88	81	72	64	55	46	105	\$1.379	
DK 8126/05/KK	45	60		126	107	97	87	75	65	52	53	121	\$1.554	
DK 8126/05/K	45	60		134	114	104	94	83	72	61	53	121	\$1.554	
DK 8126/05	45	60		147	121	112	103	92	82	70	53	121	\$1.554	
DK 8126/06/KK	52	70		155	131	120	108	93	81	67	60	137	\$1.730	
DK 8126/06/K	55	75		164	138	127	115	101	88	75	60	137	\$1.730	
DK 8126/06	59	80		175	146	135	124	110	98	84	60	137	\$1.730	
DK 8126/07/KK	59	80		184	155	142	128	113	97	81	67	152	\$1.905	
DK 8126/07/K	66	90		193	162	149	135	119	105	89	67	152	\$1.905	
DK 8126/07	66	90		204	170	158	144	129	115	99	67	152	\$1.905	
DK 8126/08/KK	75	100		213	179	165	149	131	114	95	73	168	\$2.080	
DK 8126/08/K	75	100		221	186	172	156	139	122	104	73	168	\$2.080	
DK 8126/08	81	110		231	193	179	164	145	130	111	73	168	\$2.080	
DK 8126/09/KK	81	110		241	205	188	170	150	131	112	80	184	\$2.256	
DK 8126/09/K	92	125		249	212	196	178	158	140	119	80	184	\$2.256	
DK 8126/09	92	125		259	217	202	185	166	147	127	80	184	\$2.256	
DK 8126/10/KK	92	125		271	228	209	190	167	146	123	87	199	\$2.431	
DK 8126/10/K	92	125		277	235	216	197	175	155	131	87	199	\$2.431	
DK 8126/10	110	150		286	242	223	204	182	162	139	87	199	\$2.431	
DK 8126/11	110	150		318	267	247	226	201	179	156	94	215	\$2.628	
DK 8126/12	129	175	347	293	271	249	222	199	172	94	215	\$2.825		
DK 8126/13	129	175	375	316	292	267	239	213	183	94	215	\$3.022		
DK 8126/14	129	175	405	341	316	289	260	230	198	101	262	\$3.219		
DK 8126/15	147	200	432	365	337	307	275	244	211	108	278	\$3.416		
DK 8126/16K	147	200	459	389	358	325	290	258	224	115	294	\$3.635		
DK 8126/17	166	225	486	413	379	343	305	272	237	122	309	\$3.854		
DK 8126/18	166	225	513	437	400	361	320	286	250	129	325	\$4.073		
DK 8126/19	185	250	540	461	421	379	335	300	263	136	341	\$4.292		
DK 8126/20K	185	250	567	485	442	397	350	314	276	142	356	\$4.511		



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



DK-8160 50 HZ 380 /415V

Maximum diameter with 6" engine 208 mm
 Maximum diameter with 7" engine 208 mm
 Maximum diameter with 8" engine 208 mm
 Maximum diameter with 10" engine 231 mm

Pumps Type	Power		Flow									Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)	
	Kw	Hp	m³/h	0,0	120,0	140,0	150,0	160,0	170,0	180,0	200,0					220,0
			l/s	0,00	33,33	38,89	41,67	44,44	47,22	50,00	55,56	61,11				
DK 8160/01/K	7,5	10		24	19	17	15	14	13	12	11	7	25	58		\$867
DK 8160/01	11	15		33	25	23	22	21	20	19	18	14	25	58		\$867
DK 8160/02/KK	15	20		47	38	33	31	30	29	27	26	15	32	74		\$1.045
DK 8160/02/K	22	30		57	44	39	38	37	34	33	32	21	32	74		\$1.045
DK 8160/02	26	35		66	50	46	45	43	42	40	39	28	32	74		\$1.045
DK 8160/03/KK	30	40		80	62	56	54	52	50	46	45	29	39	90		\$1.224
DK 8160/03/K	37	50		90	68	62	61	59	56	52	53	35	39	90		\$1.224
DK 8160/03	37	50		99	74	69	68	65	63	59	59	42	39	90		\$1.224
DK 8160/04/KK	45	60		113	87	79	76	73	71	66	64	43	46	105		\$1.402
DK 8160/04/K	45	60		123	93	85	83	80	77	72	71	49	46	105		\$1.402
DK 8160/04	45	60		132	99	92	90	86	84	79	78	56	46	105		\$1.402
DK 8160/05/KK	52	70		146	112	101	99	95	92	86	84	57	53	121		\$1.580
DK 8160/05/K	59	80		155	118	107	106	102	98	92	91	63	53	121		\$1.580
DK 8160/05	59	80		165	124	114	113	108	105	99	98	70	53	121		\$1.580
DK 8160/06/KK	66	90		179	137	124	121	116	113	106	103	71	60	137		\$1.758
DK 8160/06/K	75	100		189	143	130	128	123	119	112	110	77	60	137		\$1.758
DK 8160/06	75	100		198	149	137	135	129	126	119	117	84	60	137		\$1.758
DK 8160/07/KK	81	110		212	161	147	144	138	134	125	123	85	67	152	6"	\$1.937
DK 8160/07/K	81	110		221	167	153	151	145	140	131	130	91	67	152		\$1.937
DK 8160/07	92	125		231	173	160	158	151	147	138	137	98	67	152		\$1.937
DK 8160/08/KK	92	125		245	186	170	166	159	155	145	142	99	73	168		\$2.115
DK 8160/08/K	92	125		254	192	176	173	166	161	151	149	105	73	168		\$2.115
DK 8160/08	110	150		264	198	183	180	172	168	158	156	112	73	168		\$2.115
DK 8160/09/KK	110	150		278	211	193	189	181	176	166	162	113	80	184		\$2.293
DK 8160/09/K	110	150		288	217	199	196	188	182	172	169	119	80	184		\$2.293
DK 8160/09	110	150		297	223	206	203	194	189	178	176	126	80	184		\$2.293
DK 8160/10/KK	129	175		311	236	216	211	202	197	185	181	127	87	199		\$2.471
DK 8160/10/K	129	175		320	242	222	218	209	203	192	188	133	87	199		\$2.471
DK 8160/10	129	175		330	248	229	225	215	210	198	195	140	87	199		\$2.471
DK 8160/11/KK	129	175		344	260	239	234	224	218	204	202	141	94	215		\$2.672
DK 8160/11/K	129	175		353	266	245	241	231	224	211	208	144	94	215		\$2.672
DK 8160/11	129	175		363	272	252	248	237	231	217	215	154	94	231		\$2.672
DK 8160/12	147	200		396	297	275	270	258	252	237	234	168	101	231		\$2.872
DK 8160/13	166	225		429	322	297	293	280	273	257	254	182	108	247		\$3.073
DK 8160/14	166	225		462	347	320	315	301	294	277	273	196	115	262		\$3.273
DK 8160/15	185	250		495	371	343	338	323	315	296	293	210	122	278		\$3.473



* Package, interconnection and outer sheath do not include weight-height measurements.
 * DK PUMP reserves the right to make changes without prior notice.
 * 8" suction difference is net \$ 70.

* The difference of the intermediate bed is net \$ 80.
 * The jacket difference is net 500.
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors.



10" PUMPS



DK-10216 50 HZ 380 /415V Maximum diameter with 6" engine 231 mm
Maximum diameter with 7" engine 231 mm
Maximum diameter with 8" engine 231 mm
Maximum diameter with 10" engine 231 mm

Pumps Type	Power		Flow								Pump Weight Kg	Pump Length cm	Out Inch	Pumps Price (\$)
	Kw	Hp	m³/h	0,0	180,0	200,0	210,0	225,0	240,0	270,0				
			l/s	0,00	50,00	55,56	58,33	62,50	66,67	75,00				
DK 10216 / 01/K	15	20	Head mSS	28	18	17	16	14	10	4	28	71	6"	\$1.777
DK 10216 / 01	18,5	25		39	26	24	22	21	19	13	28	71		\$1.777
DK 10216 / 02/KK	30	40		53	37	34	30	27	21	15	40	88		\$2.073
DK 10216 / 02/K	37	50		63	44	40	37	33	28	24	40	88		\$2.073
DK 10216 / 02	37	50		79	51	47	44	41	36	32	40	88		\$2.073
DK 10216 / 03/KK	45	60		93	62	58	53	47	39	34	51	106		\$2.369
DK 10216 / 03/K	52	70		103	70	65	60	55	47	42	51	106		\$2.369
DK 10216 / 03	55	75		119	76	71	66	61	54	51	51	106		\$2.369
DK 10216 / 04/KK	75	90		132	90	84	78	70	59	50	63	123		\$2.665
DK 10216 / 04/K	75	100		143	96	90	84	77	66	60	63	123		\$2.665
DK 10216 / 04	75	100		154	104	94	91	84	74	68	63	123		\$2.665
DK 10216 / 05/KK	92	125		171	115	108	100	91	77	70	75	141		\$2.961
DK 10216 / 05/K	92	125		182	122	114	106	97	84	78	75	141		\$2.961
DK 10216 / 05	92	125		192	129	121	114	105	92	85	75	141		\$2.961
DK 10216 / 06/KK	110	150		211	141	131	123	111	96	88	87	158		\$3.257
DK 10216 / 06/K	110	150		222	147	137	128	117	103	96	87	158		\$3.257
DK 10216 / 06	110	150		232	154	144	136	125	110	104	87	158		\$3.257
DK 10216 / 07/KK	129	175		252	166	154	143	131	114	107	99	176		\$3.553
DK 10216 / 07/K	129	175		265	171	161	150	137	117	115	99	176		\$3.553
DK 10216 / 07	129	175		273	178	166	156	144	126	123	99	176		\$3.553
DK 10216 / 08/KK	147	200	292	188	176	166	151	127	125	110	193	\$3.849		
DK 10216 / 08/K	147	200	306	196	183	171	156	135	132	110	193	\$3.849		
DK 10216 / 08	147	200	318	201	189	177	161	141	141	110	193	\$3.849		
DK 10216 / 09/KK	166	225	332	216	201	187	171	146	146	122	211	\$4.146		
DK 10216 / 09/K	166	225	345	221	208	194	177	154	152	122	211	\$4.146		
DK 10216 / 09	166	225	358	228	213	199	184	160	160	122	211	\$4.146		
DK 10216 / 10/KK	185	250	373	238	224	208	191	161	161	134	228	\$4.442		
DK 10216 / 10/K	185	250	385	251	236	221	204	176	168	134	228	\$4.442		
DK 10216 / 10	185	250	398	259	242	227	209	184	177	134	228	\$4.442		



*Package,interconnection and outer sheath do not include weight-height measurements.
 *DK PUMP reserves the the right to make changes without prior notice
 * Prices do not include VAT and shipping.
 * Our company is not responsible for printing errors



Dalgıç Motorlar 6" -7" -8" -10"



DKM 6

50 HZ

6" MOTOR

Tybe	Power		Current In - A	Axial Load kN	Yol Verme start/h	Phase S / T	Voltage V	L mm	A kg	Frequency Hz (hertz)	Daimater Q max (mm)	Starting Δ - Y	Price \$
	Kw	HP											
DKM 6	4	5,5	10,1	20	20	3	380/415	639	40	50/60	141	Y	\$549
DKM 6	5,5	7,5	13,9	20	20	3	380/415	668	43,5	50/60	141	Y	\$578
DKM 6	7,5	10	18,8	20	20	3	380/415	748	50	50/60	141	Y/Y - Δ	\$642
DKM 6	9,3	12,5	23,2	20	20	3	380/415	788	53	50/60	141	Y/Y - Δ	\$689
DKM 6	11	15	27,3	20	20	3	380/415	841	61	50/60	141	Y/Y - Δ	\$712
DKM 6	13	17,5	32,1	20	20	3	380/415	901	66	50/60	141	Y/Y - Δ	\$797
DKM 6	15	20	36,7	20	20	3	380/415	963	72	50/60	141	Y/Y - Δ	\$820
DKM 6	18,5	25	40,5	20	20	3	380/415	996	80	50/60	141	Δ /Y - Δ	\$911
DKM 6	22	30	47,5	20	20	3	380/415	1,096	86	50/60	141	Δ /Y - Δ	\$1.022
DKM 6	26	35	59,9	26,5	20	3	380/415	1,207	90	50/60	141	Δ /Y - Δ	\$1.144
DKM 6	30	40	61,7	26,5	20	3	380/415	1,237	104	50/60	141	Δ /Y - Δ	\$1.211
DKM 6	37	50	75,3	26,5	15	3	380/415	1,237	111	50/60	141	Δ /Y - Δ	\$1.359

TECHNICALITY

*External Diameter 141 mm

*Water Cooled System

*Motor Power Range : 5,5 HP - 60 HP

*6" compliance with NEMA standards

*Temperature of working enviroment : Max: 30 °C

*Axial load carrying capacity : 5,5 - 30 HP Arası Motorlarda 20 kN, 35-60 HP Arası Motorlarda 26,5 kN

*Motor protection IP 68 (Mekanik Salmastro)

*Starting : Direct and star-delta

*Supply Voltage : ~3, 380 V (-%6+%10), 50/60 Hz.



*Package, interconnection and outer sheath do not include weight-height measurements.

*DK PUMP reserves the the right to make changes without prior notice

* Prices do not include VAT and shipping.

* Our company is not responsible for printing errors



DKM 7
50 HZ
7" MOTOR

Type	Power		Current	Axial Load	Yol Verme	Phase	Voltage	L	A	Frequency	Diameter	Starting	Price
	Kw	HP	In - A	kN	start/h	S / T	V	mm	kg	Hz (hertz)	Q max (mm)	Δ - Y	\$
DKM 7	22	30	48	45	15	3	380/415	963	127	50/60	172	Δ / S - Δ	\$1.082
DKM 7	30	40	64	45	15	3	380/415	1053	140	50/60	172	Δ / S - Δ	\$1.248
DKM 7	37	50	76	45	15	3	380/415	1133	146	50/60	172	Δ / S - Δ	\$1.341
DKM 7	45	60	92	45	15	3	380/415	1212	152	50/60	172	Δ / S - Δ	\$1.491
DKM 7	55	75	118	45	15	3	380/415	1291	160	50/60	172	Δ / S - Δ	\$1.641

TECHNICALITY

*External Diameter 122 mm

*Water Cooled System

*Motor Power Range : 30 HP - 85 HP

*8" compliance with NEMA standards

*Temperature of working enviroment : Max: 30 °C

*Axial load carrying capacity : 45 kN

*Starting : Direct and star-delta

*Supply Voltage : ~3, 380 V (-%6+%10), 50/60 Hz.



DKM 8 50 HZ 8" MOTOR

Tybe	Power		Current In - A	Axial Load kN	Yol Verme start/h	Phase S / T	Voltage V	L mm	A kg	Frequency Hz (hertz)	Daimater Q max (mm)	Starting Δ - Y	Price \$
	Kw	HP											
DKM 8	30	40	64	45	15	3	380/415	1039	227	50/60	192	Δ / S - Δ	\$1.364
DKM 8	37	50	78	45	15	3	380/415	1039	133	50/60	192	Δ / S - Δ	\$1.433
DKM 8	45	60	93,7	45	15	3	380/415	1184	140	50/60	192	Δ / S - Δ	\$1.589
DKM 8	52	70	108,3	45	15	3	380/415	1269	146	50/60	192	Δ / S - Δ	\$1.734
DKM 8	55	75	111,9	45	15	3	380/415	1269	152	50/60	192	Δ / S - Δ	\$1.769
DKM 8	59	80	125	45	15	3	380/415	1324	160	50/60	192	Δ / S - Δ	\$1.873
DKM 8	66	90	136,3	45	15	3	380/415	1349	169	50/60	192	Δ / S - Δ	\$2.023
DKM 8	75	100	150,8	45	15	3	380/415	1374	190	50/60	192	Δ / S - Δ	\$2.069
DKM 8	81	110	162,9	55	15	3	380/415	1454	197	50/60	192	Δ / S - Δ	\$2.169
DKM 8	92	125	185	55	10	3	380/415	1519	208	50/60	192	Δ / S - Δ	\$2.335

TECHNICALITY

*External Diameter 192 mm

*Water Cooled System

*Motor Power Range : 40 HP - 125 HP

*8" compliance with NEMA standards

*Temperature of working enviroment : Max: 30 °C

*Axial load carrying capacity : 40-100 HP Arası Motorlarda 45 kN, 110-125 HP Arası Motorlarda 55 kN

*Motor protection IP 68 (Mekanik Salmastra)

*Starting : Direkt ve Y / Ü.

*Supply Voltage : ± 3 , 380 V (-%6+%10), 50/60 Hz.



- *Package, interconnection and outer sheath do not include weight-height measurements.
- *DK PUMP reserves the the right to make changes without prior notice
- * Prices do not include VAT and shipping.
- * Our company is not responsible for printing errors



DKM 10

50 HZ

10" MOTOR

Tybe	Power		Current In - A	Axial Load kN	Yol Verme start/h	Phase S / T	Voltage V	L mm	A kg	Frequency Hz (hertz)	Daimater Q max (mm)	Starting Δ - Y	Price \$
	Kw	HP											
DKM 10	92	125	191,6	75	10	3	380/415	1414	274	50/60	231	Δ / S - Δ	\$3.006
DKM 10	110	150	226,4	75	10	3	380/415	1494	299	50/60	231	Δ / S - Δ	\$3.353
DKM 10	129	175	265,5	75	10	3	380/415	1610	328	50/60	231	Δ / S - Δ	\$3.391
DKM 10	147	200	299	75	10	3	380/415	1740	368	50/60	231	Δ / S - Δ	\$4.370
DKM 10	166	225	341,6	75	10	3	380/415	1820	400	50/60	231	Δ / S - Δ	\$4.856
DKM 10	184	250	376,3	75	10	3	380/415	1853	405	50/60	231	Δ / S - Δ	\$5.318

TECHNICALITY

*External Diameter 231 mm

*Water Cooled System

*Motor Power Range : 125 HP - 250 HP

*10" compliance with NEMA standards

*Temperature of working enviroment : Max: 30 °C

*Axial load carrying capacity : 75 kN

*Starting : Direkt ve Y / U.

*Supply Voltage : ~3, 380 V (-%6+%10), 50/60 Hz.



DK POMPA



Technical Support Tables



CALCULATIONS OF FRICTION LOSS IN WATER PIPES

PLASTIC PIPE OUTER DIAMETER			25	32	40	50	63	75	90	110	140	160	200	225	280
PLASTIC PIPE INNER DIAMETER			20	25	32	40	50	65	80	100	125	150	175	200	250
METAL WATER PIPE			3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	7"	8"	10"
m ³ /h	lt/dk	lt/sn	FRICTION LOSS EVERY 100 METRES OF CAST PIPES												
1,2	20,0	0,3	10,4	3,7	1,0	0,3									
1,5	25,0	0,4	15,8	5,7	1,5	0,5									
1,8	30,0	0,5	22,3	8,0	2,1	0,7									
2,1	35,0	0,6	29,8	10,8	2,8	0,9	0,3								
2,4	40,0	0,7	38,2	13,8	2,7	1,2	0,4								
3,0	50,0	0,8	58,2	21,1	8,0	1,8	0,6								
3,6	60,0	1,0	82,0	30,0	10,8	2,5	0,9								
4,2	70,0	1,2		40,0	13,9	3,3	1,1								
4,8	80,0	1,3		51,5	17,5	4,3	1,5								
5,4	90,0	1,5		64,0	21,4	5,4	1,8	0,5							
6,0	100,0	1,7		79,0	33,0	6,6	2,2	0,6							
7,5	125,0	2,1			47,0	10,0	3,4	0,9							
9,0	150,0	2,5			63,0	14,2	4,7	1,2	0,4						
10,5	175,0	2,9			82,0	19,0	6,3	1,6	0,6						
12,0	200,0	3,3				24,5	8,1	2,1	0,7						
15,0	250	4,2				37,5	12,3	3,2	1,1	0,4					
18,0	300,0	5,0				53,0	17,3	4,5	1,6	0,5					
24,0	400,0	6,7					29,5	7,8	2,7	0,9					
30,0	500,0	8,3					44,8	12,0	4,1	1,4	0,5				
36,0	600,0	10,0						16,9	5,8	1,9	0,7				
42,0	700,0	11,7						22,6	7,8	2,6	0,9				
48,0	800,0	13,0						29,0	10,0	3,4	1,2	0,4			
54,0	900,0	15,0						36,0	12,5	4,2	1,5	0,5			
60,0	1000,0	16,7							15,2	5,1	1,8	0,7			
75,0	1250,0	20,8							23,0	7,9	2,7	1,0	0,5		
90,0	1500,0	25,0							32,6	11,2	3,8	1,4	0,7		
105,0	1750,0	29,2								15,0	5,0	1,9	0,9	0,5	
120,0	2000,0	33,3								19,4	6,5	2,4	1,2	0,6	
150,0	2500,0	41,7								30,0	9,8	3,8	1,8	0,9	
180,0	3000,0	50,0									13,8	5,3	2,5	1,3	
240,0	4000,0	66,7									23,8	9,1	4,4	2,2	0,7
300,0	5000,0	83,3										13,9	6,6	3,3	1,1
360,0	6000,0	100,0										20,0	9,5	4,7	1,6
420,0	7000,0	116,7											12,8	6,4	2,1
480,0	8000,0	133,3											21,0	10,5	3,5

DIRECT DEPARTURE CABLE SELECTION

POWER			DIRECT DEPARTURE														
HP	kW	VOLTAGE	CABLE CROSS SECTION 3 X ...mm ²														
			1,5	2,5	4	6	10	16									
			MAX. LENGHT (Metre)														
0,55	0,37	220V	80	130													
0,75	0,55		55	90	140												
1,00	0,75		40	80	105	160											
1,50	1,10		30	50	75	115	190										
2,00	1,10		20	35	60	90	145	235									
3,00	2,20			30	50	70	120	185									

POWER			DIRECT DEPARTURE															
HP	kW	VOLTAGE	CABLE CROSS SECTION 3 X ...mm ²															
			1,5	2,5	4	6	10	16	25	35	50	70	95	120	150			
			MAX. LENGHT (Metre)															
1,00	0,75	380V	230															
1,50	1,10		180	235														
2,00	1,50		135	225	360													
3	2,20			190	300	460												
4,00	3,00			150	240	360												
5,50	4,00			110	170	260	450											
7,50	5,50			80	130	190	340	540										
10,00	7,50			60	100	150	250	410										
12,50	9,20			50	80	120	205	330	510									
15,00	11,00				60	100	170	280	440									
17,50	13,00					90	150	245	385									
20,00	15,00					80	130	210	330	460	660							
25,00	18,50						100	170	260	370	530							
30,00	22,00						90	140	220	310	440							
35,00	26,00							120	190	270	380	540						
40,00	30,00							100	170	230	330	460						
50,00	37,00								130	190	270	380	520					
60,00	45,00								110	160	230	320	440	550				
70,00	52,00									140	200	280	385	480				
75,00	55,00									120	170	240	330	410	530			
80,00	59,00									115	160	230	310	390	500			
90,00	66,00									110	150	220	290	370	470			
100,00	75,00									96	140	190	270	330	425			
110,00	81,00										125	175	245	300	380			
125,00	92,00										110	160	220	275	370			
150,00	110,00											130	180	220	290			
180,00	132,00												150	190	240			
200,00	150,00												130	170	220			
225,00	165,00													125	150	190		
250,00	185,00															170		
275,00	200,00																160	

STAR TRIANGLE CABLE SELECTION


POWER			STAR TRIANGLE LAUNCH														
HP	kW	VOLTAGE	CABLE CROSS SECTION 3 X ...mm ²														
			1,5	2,5	4	6	10	16	25	35	50	70	95	120	150		
MAX. LENGTH (Metre)																	
4,00	3,00	380V	140	230	370												
5,50	4,00		100	170	270	400											
7,50	5,50		700	120	200	300	500										
10,00	7,50		57	90	150	220	380										
12,50	9,20		46	70	120	180	310	490									
15,00	11,00		39	60	100	150	260	400									
17,50	13,00			55	90	130	230	355									
20,00	15,00			50	80	110	200	310	490								
25,00	18,50				60	90	160	250	400	560							
30,00	22,00				50	70	130	210	340	470							
35,00	26,00				46	68	110	180	290	410							
40,00	30,00					60	100	160	250	360	500						
50,00	37,00					40	80	130	200	290	410						
60,00	45,00						70	110	170	240	350	480					
70,00	52,00							95	150	210	305	420					
75,00	55,00							80	130	180	260	360	500				
80,00	59,00								120	170	245	340	475				
90,00	66,00								110	160	230	320	450	520			
100,00	75,00								100	150	200	290	380	440	540		
110,00	81,00									135	185	260	340	405	495		
125,00	92,00									120	170	230	300	370	450		
150,00	110,00									100	140	200	250	300	370		
180,00	132,00										120	165	210	260	310		
200,00	150,00											150	190	230	280		
225,00	165,00											130	170	200	240		
250,00	185,00											125	160	190	230		
275,00	200,00												140	170	200		
300,00	220,00															120	

GENERATOR SELECTION ACCORDING TO ENGINE POWER

ENGINE POWER		GENERATOR POWER	
		DIRECT DEPARTURE	
HP	kW	kW	KVA
3	2,2	6	7,5
4	3	8	10
5,5	4	10	12,5
7,5	5,5	12,5	15,6
10	7,5	15	18,8
12,5	9,2	18,8	23,5
15	11	22,5	28
17,5	13	26,4	33
20	15	30	38
25	18,5	40	50
30	22	45	57
35	26	52	65
40	30	60	75
50	37	75	94
60	45	90	112
70	51,5	105	131
75	55	120	150
90	66	135	170
100	75	150	190
125	92	185	230
150	110	210	260
180	132	260	323
200	147	280	360
225	165	325	404
250	185	365	454
275	200	390	485
300	220	430	535
330	240	470	584
360	265	520	646

ENGINE POWER		GENERATOR POWER	
		STAR TRIANGEL LAUNCH	
HP	kW	kW	KVA
-	-	-	-
4	3	8	7,5
5,5	4	8	10
7,5	5,5	10,5	13,5
10	7,5	14	17,5
12,5	9,2	17,2	21,5
15	11	20,5	25,5
17,5	13	23,6	29,5
20	15	27	34
25	18,5	33	42
30	22	40	50
35	26	45	57
40	30	52	65
50	37	65	81
60	45	77	97
70	51,5	90	112
75	55	102	128
90	66	115	144
100	75	128	160
125	92	158	198
150	110	190	237
180	132	228	284
200	147	254	316
225	165	285	354
250	185	320	398
275	200	345	429
300	220	380	472
330	240	415	516
360	265	458	569





QUALITY

SAVING



TIME

PRODUCTIVITY

SUTEKSAN®

SULAMA TEKNOLOJİ. MAK. KALIP ve ELK. SAN. TİC. LTD. ŞTİ.

DK POMPA



O.S.B. Karpuzsekisi Mah. 6064. Sk. No: 15
Hacılar / Kayseri / TURKEY
Posta Kodu : 38315 / Post Code : 38315



+90 352 311 51 51



+90 352 311 34 69



info@dkpompa.com

www.dkpompa.com - www.suteksan.com